## WEBVTT

NOTE duration: "00:16:48.0280000"

NOTE language:en-us

NOTE Confidence: 0.906028389930725

00:00:00.000 --> 00:00:02.088 Like to introduce our next Speaker,

NOTE Confidence: 0.906028389930725

00:00:02.090 --> 00:00:03.185 Doctor Julie Womack.

NOTE Confidence: 0.906028389930725

 $00{:}00{:}03.185 \dashrightarrow 00{:}00{:}05.010$  Doctor Womack is an associate

NOTE Confidence: 0.906028389930725

00:00:05.010 --> 00:00:07.167 professor at the Yale School of

NOTE Confidence: 0.906028389930725

 $00:00:07.167 \longrightarrow 00:00:08.877$  Nursing and a Health Sciences

NOTE Confidence: 0.906028389930725

00:00:08.877 --> 00:00:10.645 researcher at the West Haven, VA.

NOTE Confidence: 0.906028389930725

 $00:00:10.645 \longrightarrow 00:00:13.245$  She received her PhD in nursing from Yale

NOTE Confidence: 0.906028389930725

00:00:13.245 --> 00:00:15.455 University and completed at Post Doctoral

NOTE Confidence: 0.906028389930725

 $00:00:15.455 \longrightarrow 00:00:17.520$  Fellowship in Informatics at the VA.

NOTE Confidence: 0.906028389930725

00:00:17.520 --> 00:00:21.510 Doctor Womack, thank you for being here.

NOTE Confidence: 0.906028389930725

 $00:00:21.510 \longrightarrow 00:00:24.750$  Thank you and I can everyone hear me.

NOTE Confidence: 0.906028389930725

 $00{:}00{:}24.750 --> 00{:}00{:}27.099$  I hope, um.

NOTE Confidence: 0.906028389930725

00:00:27.100 --> 00:00:29.417 So I'll be talking with you about

NOTE Confidence: 0.906028389930725

00:00:29.417 --> 00:00:31.459 the work that colleagues of mine

00:00:31.459 --> 00:00:34.275 and I are doing to adapt in LP

NOTE Confidence: 0.906028389930725

 $00{:}00{:}34.275 \dashrightarrow 00{:}00{:}36.163$  pipeline machine learning algorithm

NOTE Confidence: 0.906028389930725

00:00:36.163 --> 00:00:39.960 to identify systems of coded 90.

NOTE Confidence: 0.906028389930725

00:00:39.960 --> 00:00:42.370 Next Symptoms are of crucial

NOTE Confidence: 0.906028389930725

 $00:00:42.370 \longrightarrow 00:00:43.816$  importance to patients.

NOTE Confidence: 0.906028389930725

 $00:00:43.820 \longrightarrow 00:00:45.805$  They are how an individual

NOTE Confidence: 0.906028389930725

 $00:00:45.805 \longrightarrow 00:00:46.996$  experiences their illness.

NOTE Confidence: 0.906028389930725

 $00{:}00{:}47.000 \dashrightarrow 00{:}00{:}49.556$  For providers and symptoms are markers

NOTE Confidence: 0.906028389930725

 $00:00:49.556 \longrightarrow 00:00:52.729$  that can help to identify disease or

NOTE Confidence: 0.906028389930725

 $00:00:52.729 \longrightarrow 00:00:55.513$  to develop a list of differential.

NOTE Confidence: 0.906028389930725

 $00:00:55.520 \longrightarrow 00:00:57.670$  Recognition of symptoms has been

NOTE Confidence: 0.906028389930725

 $00:00:57.670 \longrightarrow 00:01:00.090$  an important component of coded 19.

NOTE Confidence: 0.906028389930725

 $00{:}01{:}00.090 \dashrightarrow 00{:}01{:}02.045$  The symptoms consider this markers

NOTE Confidence: 0.906028389930725

 $00{:}01{:}02.045 \dashrightarrow 00{:}01{:}04.650$  of the disease has changed over time.

NOTE Confidence: 0.906028389930725

 $00:01:04.650 \longrightarrow 00:01:06.310$  Initially it was fever,

 $00:01:06.310 \longrightarrow 00:01:08.385$  cough and shortness of breath.

NOTE Confidence: 0.906028389930725

 $00{:}01{:}08.390 \dashrightarrow 00{:}01{:}10.460$  These are still considered to

NOTE Confidence: 0.906028389930725

 $00:01:10.460 \longrightarrow 00:01:12.116$  be the primary symptoms,

NOTE Confidence: 0.906028389930725

 $00:01:12.120 \longrightarrow 00:01:14.703$  but this list has expanded to include

NOTE Confidence: 0.906028389930725

00:01:14.703 --> 00:01:17.099 others such as nasal congestion,

NOTE Confidence: 0.906028389930725

 $00:01:17.100 \longrightarrow 00:01:18.760$  sore throat, and osmia.

NOTE Confidence: 0.906028389930725

00:01:18.760 --> 00:01:20.835 Like you see a headache,

NOTE Confidence: 0.906028389930725

00:01:20.840 --> 00:01:22.500 dizziness, fatigue, muscle aches,

NOTE Confidence: 0.906028389930725

 $00{:}01{:}22.500 --> 00{:}01{:}24.160$  chills and GI symptoms,

NOTE Confidence: 0.906028389930725

 $00:01:24.160 \longrightarrow 00:01:26.260$  including nausea, loss of appetite.

NOTE Confidence: 0.906028389930725

 $00{:}01{:}26.260 \dashrightarrow 00{:}01{:}30.130$  Vomiting and diarrhea next week.

NOTE Confidence: 0.906028389930725

 $00:01:30.130 \longrightarrow 00:01:32.506$  In both Farzin Murs symptom based

NOTE Confidence: 0.906028389930725

 $00:01:32.506 \longrightarrow 00:01:34.540$  case detection and subsequent testing

NOTE Confidence: 0.906028389930725

 $00:01:34.540 \longrightarrow 00:01:36.455$  to guide isolation and Quarantine

NOTE Confidence: 0.906028389930725

 $00:01:36.455 \longrightarrow 00:01:38.926$  with keys and there was minimum

NOTE Confidence: 0.906028389930725

 $00:01:38.926 \longrightarrow 00:01:41.096$  evidence that asymptomatic cases were

00:01:41.096 --> 00:01:42.796 important routes of transmission.

NOTE Confidence: 0.906028389930725

00:01:42.796 --> 00:01:44.776 With COVID-19 there was potentially

NOTE Confidence: 0.906028389930725

00:01:44.776 --> 00:01:46.799 a sizable percentage of cases

NOTE Confidence: 0.906028389930725

 $00:01:46.799 \longrightarrow 00:01:47.939$  that are asymptomatic,

NOTE Confidence: 0.906028389930725

 $00:01:47.940 \longrightarrow 00:01:50.327$  and these have been shown to be

NOTE Confidence: 0.906028389930725

 $00:01:50.327 \longrightarrow 00:01:52.670$  important players in viral transmission.

NOTE Confidence: 0.906028389930725

 $00:01:52.670 \longrightarrow 00:01:55.136$  So symptoms alone are insufficient to

NOTE Confidence: 0.906028389930725

 $00{:}01{:}55.136 \dashrightarrow 00{:}01{:}58.090$ identify cases of Coke in 19 or even

NOTE Confidence: 0.906028389930725

 $00:01:58.090 \longrightarrow 00:02:00.840$  to identify those who should be tested next.

NOTE Confidence: 0.906028389930725

00:02:00.840 --> 00:02:01.287 Furthermore,

NOTE Confidence: 0.906028389930725

 $00:02:01.287 \longrightarrow 00:02:03.969$  most of the symptoms experience with

NOTE Confidence: 0.906028389930725

 $00:02:03.969 \longrightarrow 00:02:06.810$  COVID-19 are not unique to code at 19,

NOTE Confidence: 0.906028389930725

 $00{:}02{:}06.810 \longrightarrow 00{:}02{:}09.596$  but rather are shared by respiratory viruses,

NOTE Confidence: 0.906028389930725

 $00:02:09.600 \longrightarrow 00:02:10.788$  other respiratory viruses

NOTE Confidence: 0.906028389930725

 $00:02:10.788 \longrightarrow 00:02:11.976$  and health conditions.

00:02:11.980 --> 00:02:14.908 Here's a graph of coded 19 testing within

NOTE Confidence: 0.906028389930725

 $00{:}02{:}14.908 \dashrightarrow 00{:}02{:}18.080$  the VA Connecticut health care system.

NOTE Confidence: 0.906028389930725

 $00:02:18.080 \longrightarrow 00:02:20.588$  There the number of test is

NOTE Confidence: 0.906028389930725

 $00:02:20.588 \longrightarrow 00:02:22.780$  noted on the vertical axis.

NOTE Confidence: 0.906028389930725

 $00:02:22.780 \longrightarrow 00:02:24.910$  Dates are on the horizontal,

NOTE Confidence: 0.906028389930725

 $00:02:24.910 \longrightarrow 00:02:26.618$  the Green Line represents

NOTE Confidence: 0.906028389930725

00:02:26.618 --> 00:02:27.899 negative COVID-19 tests.

NOTE Confidence: 0.906028389930725

 $00:02:27.900 \longrightarrow 00:02:30.318$  The red line is positive tests

NOTE Confidence: 0.906028389930725

00:02:30.318 --> 00:02:31.930 and the baseline represents

NOTE Confidence: 0.906028389930725

 $00:02:32.003 \longrightarrow 00:02:33.879$  those with pending results.

NOTE Confidence: 0.906028389930725

00:02:33.880 --> 00:02:38.150 So out of the 1600s has done through May 7th,

NOTE Confidence: 0.906028389930725

 $00:02:38.150 \longrightarrow 00:02:40.280$  214 or 12% were positive.

NOTE Confidence: 0.906028389930725

 $00:02:40.280 \longrightarrow 00:02:41.152$  For COVID-19,

NOTE Confidence: 0.906028389930725

 $00:02:41.152 \longrightarrow 00:02:43.768$  these results suggest that the majority

NOTE Confidence: 0.906028389930725

 $00:02:43.768 \longrightarrow 00:02:46.260$  of those with symptoms may not,

NOTE Confidence: 0.906028389930725

 $00:02:46.260 \longrightarrow 00:02:48.816$  in fact have coded 19 next.

 $00:02:51.700 \longrightarrow 00:02:54.016$  But despite the limitations to using

NOTE Confidence: 0.911584436893463

00:02:54.016 --> 00:02:56.712 symptoms to diagnose so bad 19 or to

NOTE Confidence: 0.911584436893463

00:02:56.712 --> 00:02:58.816 identify those who need to be tested

NOTE Confidence: 0.911584436893463

 $00:02:58.816 \longrightarrow 00:03:01.288$  in Corentine symptoms are still an

NOTE Confidence: 0.911584436893463

 $00:03:01.288 \longrightarrow 00:03:03.210$  important component of the pandemic.

NOTE Confidence: 0.911584436893463

 $00:03:03.210 \longrightarrow 00:03:05.590$  I work with a number of investigators

NOTE Confidence: 0.911584436893463

 $00:03:05.590 \longrightarrow 00:03:08.117$  who are interested in using VA electronic

NOTE Confidence: 0.911584436893463

 $00{:}03{:}08.117 \dashrightarrow 00{:}03{:}10.727$  health record or HR data to study

NOTE Confidence: 0.911584436893463

 $00{:}03{:}10.727 \dashrightarrow 00{:}03{:}12.995$  different aspects of symptoms encoded 19.

NOTE Confidence: 0.911584436893463

 $00:03:13.000 \longrightarrow 00:03:15.400$  The first step for all of these projects

NOTE Confidence: 0.911584436893463

 $00:03:15.400 \longrightarrow 00:03:18.191$  is to develop a reliable approach for

NOTE Confidence: 0.911584436893463

 $00:03:18.191 \longrightarrow 00:03:20.580$  identifying these symptoms in the HR,

NOTE Confidence: 0.911584436893463

 $00{:}03{:}20.580 \dashrightarrow 00{:}03{:}22.746$  a number of possible approaches exists.

NOTE Confidence: 0.911584436893463

 $00{:}03{:}22.750 \dashrightarrow 00{:}03{:}25.480$  These include looking at. Problem with.

NOTE Confidence: 0.911584436893463

 $00:03:25.480 \longrightarrow 00:03:28.305$  ICD codes and inferring symptoms

00:03:28.305 --> 00:03:30.322 from prescription data. However,

NOTE Confidence: 0.911584436893463

 $00{:}03{:}30.322 \dashrightarrow 00{:}03{:}31.932$  all of these approaches underestimate

NOTE Confidence: 0.911584436893463

00:03:31.932 --> 00:03:33.860 the number and type of symptoms.

NOTE Confidence: 0.911584436893463

 $00:03:33.860 \longrightarrow 00:03:35.724$  Discuss that a visit.

NOTE Confidence: 0.911584436893463

 $00:03:35.724 \longrightarrow 00:03:37.588$  Most documentation of symptoms

NOTE Confidence: 0.911584436893463

 $00:03:37.588 \longrightarrow 00:03:39.839$  takes place in clinical note.

NOTE Confidence: 0.911584436893463

 $00:03:39.840 \longrightarrow 00:03:41.976$  These documented symptoms can be extracted

NOTE Confidence: 0.911584436893463

 $00:03:41.976 \longrightarrow 00:03:44.420$  from text notes using natural language

NOTE Confidence: 0.911584436893463

00:03:44.420 --> 00:03:46.810 processing and machine learning algorithms,

NOTE Confidence: 0.911584436893463

 $00:03:46.810 \longrightarrow 00:03:49.270$  and then converted into structured data.

NOTE Confidence: 0.911584436893463

 $00:03:49.270 \longrightarrow 00:03:52.780$  For the purposes of analysis.

NOTE Confidence: 0.911584436893463

00:03:52.780 --> 00:03:55.093 So today I'm gonna talk a bit about the

NOTE Confidence: 0.911584436893463

 $00:03:55.093 \longrightarrow 00:03:57.234$  symptom extractor pipeline that we will

NOTE Confidence: 0.911584436893463

00:03:57.234 --> 00:03:59.450 adapt to identify COVID-19 symptoms in VA.

NOTE Confidence: 0.911584436893463

00:03:59.450 --> 00:03:59.982 Clinical note,

NOTE Confidence: 0.911584436893463

 $00:03:59.982 \longrightarrow 00:04:02.110$  I'm going to talk a bit about what

00:04:02.169 --> 00:04:04.287 that adaptation process will look like,

NOTE Confidence: 0.911584436893463

 $00{:}04{:}04{:}290 \dashrightarrow 00{:}04{:}07{.}006$  and then I'm going to briefly describe

NOTE Confidence: 0.911584436893463

 $00:04:07.006 \longrightarrow 00:04:09.736$  projects that will build on it work next.

NOTE Confidence: 0.911584436893463

 $00:04:09.740 \longrightarrow 00:04:11.972$  The symptom extractor pipeline that we

NOTE Confidence: 0.911584436893463

00:04:11.972 --> 00:04:14.221 will use with originally developed by

NOTE Confidence: 0.911584436893463

00:04:14.221 --> 00:04:16.657 Guide Devita and colleagues from the VA,

NOTE Confidence: 0.911584436893463

00:04:16.660 --> 00:04:19.420 Salt Lake City health care system.

NOTE Confidence: 0.911584436893463

 $00{:}04{:}19.420 \dashrightarrow 00{:}04{:}23.123$  Next It is a uema natural language

NOTE Confidence: 0.911584436893463

 $00{:}04{:}23.123 \dashrightarrow 00{:}04{:}26.015$  processing pipeline that was assembled

NOTE Confidence: 0.911584436893463

 $00{:}04{:}26.015 \dashrightarrow 00{:}04{:}29.030$  using B3 LP framework components.

NOTE Confidence: 0.911584436893463

 $00:04:29.030 \longrightarrow 00:04:30.620$  Both arena and be free.

NOTE Confidence: 0.911584436893463

00:04:30.620 --> 00:04:32.860 An LTR open source software.

NOTE Confidence: 0.911584436893463

 $00:04:32.860 \longrightarrow 00:04:35.506$  You we met short for unstructured

NOTE Confidence: 0.911584436893463

 $00:04:35.506 \longrightarrow 00:04:37.270$  information management architecture is

NOTE Confidence: 0.911584436893463

 $00:04:37.337 \longrightarrow 00:04:39.785$  an Oasis standard for content analytics.

 $00:04:39.790 \longrightarrow 00:04:41.422$  Originally developed at IBM.

NOTE Confidence: 0.911584436893463

00:04:41.422 --> 00:04:44.976 The VPN LP framework is a set of

NOTE Confidence: 0.911584436893463

 $00:04:44.976 \longrightarrow 00:04:47.032$  functionality zan components that

NOTE Confidence: 0.911584436893463

 $00:04:47.032 \longrightarrow 00:04:49.693$  provide Java developers the ability

NOTE Confidence: 0.911584436893463

 $00:04:49.693 \longrightarrow 00:04:51.809$  to create novel annotators,

NOTE Confidence: 0.911584436893463

00:04:51.810 --> 00:04:53.638 place annotators into pipelines,

NOTE Confidence: 0.911584436893463

 $00:04:53.638 \longrightarrow 00:04:55.923$  and include applications to extract

NOTE Confidence: 0.911584436893463

 $00{:}04{:}55.923 \dashrightarrow 00{:}04{:}57.570$  concepts from clinical text.

NOTE Confidence: 0.911584436893463

 $00{:}04{:}57.570 \dashrightarrow 00{:}05{:}00.769$  These are scale up and scale out

NOTE Confidence: 0.911584436893463

 $00:05:00.769 \longrightarrow 00:05:02.705$  functionality's developed with the

NOTE Confidence: 0.911584436893463

 $00{:}05{:}02.705 \dashrightarrow 00{:}05{:}04.669$  expressed purpose of processing

NOTE Confidence: 0.911584436893463

 $00:05:04.669 \longrightarrow 00:05:06.633$  large numbers of records.

NOTE Confidence: 0.911584436893463

 $00:05:06.640 \longrightarrow 00:05:08.595$  Machine learning annotator was added

NOTE Confidence: 0.911584436893463

 $00:05:08.595 \longrightarrow 00:05:11.933$  at the tail end of the LP pipeline

NOTE Confidence: 0.911584436893463

00:05:11.933 --> 00:05:14.103 to enhance the pipeline's ability

NOTE Confidence: 0.911584436893463

 $00{:}05{:}14.103 \dashrightarrow 00{:}05{:}16.259$  to identify through symptoms.

 $00:05:16.260 \longrightarrow 00:05:18.115$  This figure depicts the components

NOTE Confidence: 0.911584436893463

 $00{:}05{:}18.115 \dashrightarrow 00{:}05{:}19.970$  of the Simpson extractor pipeline.

NOTE Confidence: 0.911584436893463

00:05:19.970 --> 00:05:22.196 As is typical of Uema Pipeline,

NOTE Confidence: 0.911584436893463

 $00:05:22.200 \longrightarrow 00:05:25.256$  this one is composed of a series of

NOTE Confidence: 0.911584436893463

 $00:05:25.256 \longrightarrow 00:05:27.475$  annotators where the output of one

NOTE Confidence: 0.911584436893463

 $00:05:27.475 \longrightarrow 00:05:29.990$  becomes the input of the next next.

NOTE Confidence: 0.892124772071838

 $00:05:32.190 \longrightarrow 00:05:35.350$  Annotators at the front end of the pipeline

NOTE Confidence: 0.892124772071838

 $00:05:35.350 \longrightarrow 00:05:37.778$  decompose text into document elements.

NOTE Confidence: 0.892124772071838

 $00:05:37.780 \longrightarrow 00:05:40.360$  The Specializer breaks the notes into

NOTE Confidence: 0.892124772071838

 $00:05:40.360 \longrightarrow 00:05:42.510$  sections, so she complaints history

NOTE Confidence: 0.892124772071838

00:05:42.510 --> 00:05:44.618 past medical history, medications, etc.

NOTE Confidence: 0.892124772071838

 $00:05:44.618 \longrightarrow 00:05:47.072$  Tokenizer then breaks up the notes

NOTE Confidence: 0.892124772071838

 $00{:}05{:}47.072 \dashrightarrow 00{:}05{:}49.640$  further into component parts, including

NOTE Confidence: 0.892124772071838

 $00{:}05{:}49.640 {\:\dashrightarrow\:} 00{:}05{:}53.720$  for example sentences or phrases next.

NOTE Confidence: 0.892124772071838

00:05:53.720 --> 00:05:56.597 The next part of the pipeline identified

 $00:05:56.597 \longrightarrow 00:05:58.678$  templated components of the notes

NOTE Confidence: 0.892124772071838

 $00{:}05{:}58.678 \dashrightarrow 00{:}06{:}00.633$  that require an assertion logic

NOTE Confidence: 0.892124772071838

 $00:06:00.633 \longrightarrow 00:06:03.099$  different from that used in plain text.

NOTE Confidence: 0.892124772071838

 $00:06:03.100 \longrightarrow 00:06:03.890$  Note thanks.

NOTE Confidence: 0.925889611244202

 $00:06:06.780 \longrightarrow 00:06:08.810$  So we're all familiar with

NOTE Confidence: 0.925889611244202

 $00:06:08.810 \longrightarrow 00:06:10.434$  the straightforward soap note

NOTE Confidence: 0.925889611244202

 $00:06:10.434 \longrightarrow 00:06:12.288$  documentation as shown in this sample,

NOTE Confidence: 0.925889611244202

 $00:06:12.290 \longrightarrow 00:06:14.090$  so the subjective and object

NOTE Confidence: 0.925889611244202

00:06:14.090 --> 00:06:16.320 information from the patient is noted,

NOTE Confidence: 0.925889611244202

 $00:06:16.320 \longrightarrow 00:06:18.889$  and then assessments in plans are made.

NOTE Confidence: 0.925889611244202

 $00{:}06{:}18.890 \dashrightarrow 00{:}06{:}20.725$  The symptom statements here are

NOTE Confidence: 0.925889611244202

 $00:06:20.725 \longrightarrow 00:06:21.826$  fairly straightforward positive.

NOTE Confidence: 0.925889611244202

 $00:06:21.830 \longrightarrow 00:06:24.026$  For shortness of breath and negative

NOTE Confidence: 0.925889611244202

00:06:24.026 --> 00:06:27.888 for pain, chest pain, and palpitation.

NOTE Confidence: 0.925889611244202

 $00:06:27.888 \longrightarrow 00:06:30.914$  Next Check boxes are one form that

NOTE Confidence: 0.925889611244202

 $00{:}06{:}30.914 \dashrightarrow 00{:}06{:}33.050$  templated text can take obvious.

00:06:33.050 --> 00:06:35.438 Obviously this is not natural language,

NOTE Confidence: 0.925889611244202

 $00:06:35.440 \longrightarrow 00:06:38.450$  so the logic used to identify symptoms

NOTE Confidence: 0.925889611244202

 $00:06:38.450 \longrightarrow 00:06:41.169$  here must be very different from

NOTE Confidence: 0.925889611244202

 $00:06:41.169 \longrightarrow 00:06:44.298$  that used for a simple soap note.

NOTE Confidence: 0.925889611244202

 $00:06:44.300 \longrightarrow 00:06:45.870$  Here, the condition of interest

NOTE Confidence: 0.925889611244202

 $00:06:45.870 \longrightarrow 00:06:48.368$  is only true if there is a check

NOTE Confidence: 0.925889611244202

 $00:06:48.368 \longrightarrow 00:06:50.102$  next to the concept of inference.

NOTE Confidence: 0.925889611244202

 $00:06:50.110 \longrightarrow 00:06:51.028$  So for example,

NOTE Confidence: 0.925889611244202

 $00:06:51.028 \longrightarrow 00:06:53.170$  in the first section homeless is mentioned,

NOTE Confidence: 0.925889611244202

 $00:06:53.170 \longrightarrow 00:06:55.432$  but the computer needs to recognize

NOTE Confidence: 0.925889611244202

 $00:06:55.432 \longrightarrow 00:06:57.910$  that the individual is only homeless if

NOTE Confidence: 0.925889611244202

 $00:06:57.910 \longrightarrow 00:07:00.660$  there is a check mark next to that box.

NOTE Confidence: 0.925889611244202

 $00{:}07{:}00.660 --> 00{:}07{:}01.650 \ \mathrm{Next}$ 

NOTE Confidence: 0.924455165863037

 $00:07:03.720 \longrightarrow 00:07:06.478$  For slots and values there is a

NOTE Confidence: 0.924455165863037

 $00:07:06.478 \longrightarrow 00:07:08.455$  templated request. For information here.

 $00:07:08.455 \longrightarrow 00:07:10.430$  Information requested include percent service

NOTE Confidence: 0.924455165863037

 $00:07:10.430 \longrightarrow 00:07:11.989$  connected disability and individuals,

NOTE Confidence: 0.924455165863037

 $00:07:11.990 \longrightarrow 00:07:13.172$  religion, marital status,

NOTE Confidence: 0.924455165863037

 $00:07:13.172 \longrightarrow 00:07:15.142$  living situation, etc. Responses need

NOTE Confidence: 0.924455165863037

 $00:07:15.142 \longrightarrow 00:07:17.900$  to be placed next to the request.

NOTE Confidence: 0.924455165863037

 $00:07:17.900 \longrightarrow 00:07:20.270$  So for example, in line G,

NOTE Confidence: 0.924455165863037

 $00:07:20.270 \longrightarrow 00:07:22.240$  much is in the checkboxes.

NOTE Confidence: 0.924455165863037

 $00{:}07{:}22.240 \dashrightarrow 00{:}07{:}24.830$  The computer needs to recognize

NOTE Confidence: 0.924455165863037

 $00:07:24.830 \longrightarrow 00:07:27.420$  that the individual has children

NOTE Confidence: 0.924455165863037

 $00:07:27.506 \longrightarrow 00:07:30.098$  only if a non 0 number is placed

NOTE Confidence: 0.924455165863037

 $00:07:30.098 \longrightarrow 00:07:32.608$  next to the slot for children.

NOTE Confidence: 0.924455165863037

 $00:07:32.610 \longrightarrow 00:07:33.936$  Next So again,

NOTE Confidence: 0.924455165863037

 $00:07:33.936 \longrightarrow 00:07:36.588$  this part of the pipeline identifies

NOTE Confidence: 0.924455165863037

 $00:07:36.588 \longrightarrow 00:07:38.619$  templated note sections and flag

NOTE Confidence: 0.924455165863037

 $00:07:38.619 \longrightarrow 00:07:41.409$  them so that the computer can use

NOTE Confidence: 0.924455165863037

 $00:07:41.409 \longrightarrow 00:07:43.659$  the appropriate logic to identify

 $00{:}07{:}43.659 \dashrightarrow 00{:}07{:}45.955$  the presence of symptoms next.

NOTE Confidence: 0.924455165863037

 $00{:}07{:}45.955 \dashrightarrow 00{:}07{:}48.430$  The term identification annotator is

NOTE Confidence: 0.924455165863037

 $00:07:48.430 \longrightarrow 00:07:51.968$  the dictionary look up portion of the

NOTE Confidence: 0.924455165863037

00:07:51.968 --> 00:07:54.914 pipeline and Dictionary of 92,000 concepts,

NOTE Confidence: 0.924455165863037

 $00:07:54.920 \longrightarrow 00:07:57.938$  or 100 and 22,000 symptom forms

NOTE Confidence: 0.924455165863037

 $00:07:57.938 \longrightarrow 00:08:00.538$  was created from unified medical

NOTE Confidence: 0.924455165863037

 $00:08:00.538 \longrightarrow 00:08:03.996$  language system or you M LS sources.

NOTE Confidence: 0.924455165863037

 $00:08:04.000 \longrightarrow 00:08:06.538$  Terms within this resource are tagged

NOTE Confidence: 0.924455165863037

 $00{:}08{:}06.538 \dashrightarrow 00{:}08{:}09.361$  with a symptom category along with a

NOTE Confidence: 0.924455165863037

 $00:08:09.361 \longrightarrow 00:08:11.832$  set of 15 organ system sub categories.

NOTE Confidence: 0.924455165863037

00:08:11.840 --> 00:08:13.915 A Dictionary of idiosyncratic symptom

NOTE Confidence: 0.924455165863037

 $00:08:13.915 \longrightarrow 00:08:16.764$  phrases and symptoms not covered by the

NOTE Confidence: 0.924455165863037

 $00{:}08{:}16.764 \dashrightarrow 00{:}08{:}18.900$  symptom dictionary is also employed next.

NOTE Confidence: 0.917411506175995

 $00{:}08{:}21.000 \dashrightarrow 00{:}08{:}23.275$  In annotator was created specifically

NOTE Confidence: 0.917411506175995

 $00:08:23.275 \longrightarrow 00:08:26.049$  to identify potential symptoms by rules

 $00:08:26.049 \longrightarrow 00:08:28.224$  and patterns formed from annotations

NOTE Confidence: 0.917411506175995

 $00:08:28.224 \longrightarrow 00:08:30.890$  created by the dictionary look up

NOTE Confidence: 0.917411506175995

 $00:08:30.890 \longrightarrow 00:08:32.598$  and document decomposition next.

NOTE Confidence: 0.891623020172119

 $00:08:34.730 \longrightarrow 00:08:36.405$  The context assertion annotator was

NOTE Confidence: 0.891623020172119

00:08:36.405 --> 00:08:37.745 included to identifying negation,

NOTE Confidence: 0.891623020172119

 $00:08:37.750 \longrightarrow 00:08:39.090$  so patient denies pain.

NOTE Confidence: 0.891623020172119

 $00:08:39.090 \longrightarrow 00:08:40.430$  It identifies the subject.

NOTE Confidence: 0.891623020172119

 $00:08:40.430 \longrightarrow 00:08:42.593$  So is it the patient who reports

NOTE Confidence: 0.891623020172119

 $00:08:42.593 \longrightarrow 00:08:44.449$  the symptom or someone else?

NOTE Confidence: 0.891623020172119

 $00:08:44.450 \longrightarrow 00:08:46.470$  For example, in the family

NOTE Confidence: 0.891623020172119

 $00:08:46.470 \longrightarrow 00:08:48.490$  history section of the note.

NOTE Confidence: 0.891623020172119

 $00:08:48.490 \longrightarrow 00:08:49.780$  It identifies hypotheticals.

NOTE Confidence: 0.891623020172119

 $00:08:49.780 \longrightarrow 00:08:50.640$  For example,

NOTE Confidence: 0.891623020172119

 $00:08:50.640 \longrightarrow 00:08:52.790$  many medications are prescribed PRN,

NOTE Confidence: 0.891623020172119

00:08:52.790 --> 00:08:56.110 PRN pain, or PRN dizziness.

NOTE Confidence: 0.891623020172119

 $00:08:56.110 \longrightarrow 00:08:57.946$  It also identifies whether or not

 $00:08:57.946 \longrightarrow 00:08:59.440$  the symptom is occurring now,

NOTE Confidence: 0.891623020172119

 $00:08:59.440 \longrightarrow 00:09:00.960$  or if it is historical.

NOTE Confidence: 0.891623020172119

00:09:00.960 --> 00:09:03.074 So something that occurred in the past,

NOTE Confidence: 0.891623020172119

 $00:09:03.080 \longrightarrow 00:09:04.616$  so a note could say something

NOTE Confidence: 0.891623020172119

00:09:04.616 --> 00:09:06.019 like six weeks ago patient

NOTE Confidence: 0.891623020172119

 $00:09:06.019 \longrightarrow 00:09:07.939$  reported o'clock if we were only

NOTE Confidence: 0.891623020172119

00:09:07.939 --> 00:09:09.440 looking for current symptoms,

NOTE Confidence: 0.891623020172119

 $00:09:09.440 \longrightarrow 00:09:11.150$  the computer would need to

NOTE Confidence: 0.891623020172119

 $00:09:11.150 \longrightarrow 00:09:12.860$  recognize that this cough is

NOTE Confidence: 0.891623020172119

 $00:09:12.932 \longrightarrow 00:09:14.798$  not current and should not be

NOTE Confidence: 0.891623020172119

 $00:09:14.798 \longrightarrow 00:09:16.860$  flagged as a symptom of interest.

NOTE Confidence: 0.891623020172119 00:09:16.860 --> 00:09:17.300 Next

NOTE Confidence: 0.91840136051178

 $00{:}09{:}19.970 \dashrightarrow 00{:}09{:}22.610$  Initially, the dictionary and rule based

NOTE Confidence: 0.91840136051178

 $00{:}09{:}22.610 \dashrightarrow 00{:}09{:}24.370$  mechanisms produced approximately 9

NOTE Confidence: 0.91840136051178

 $00:09:24.435 \longrightarrow 00:09:26.577$  false sense dimensions for each tree.

 $00:09:26.580 \longrightarrow 00:09:27.532$  Symptom identified.

NOTE Confidence: 0.91840136051178

 $00{:}09{:}27.532 \dashrightarrow 00{:}09{:}29.912$  An additional mechanism was needed

NOTE Confidence: 0.91840136051178

 $00{:}09{:}29.912 \dashrightarrow 00{:}09{:}32.728$  to filter down the false positive.

NOTE Confidence: 0.91840136051178

 $00:09:32.730 \longrightarrow 00:09:35.328$  Tail end annotator that employs the

NOTE Confidence: 0.91840136051178

00:09:35.328 --> 00:09:37.999 machine learning model trains on 65

NOTE Confidence: 0.91840136051178

 $00:09:37.999 \longrightarrow 00:09:40.164$  features gleaned from the upstream

NOTE Confidence: 0.91840136051178

 $00:09:40.164 \longrightarrow 00:09:42.670$  annotators was developed for this purpose.

NOTE Confidence: 0.91840136051178

 $00:09:42.670 \longrightarrow 00:09:45.568$  This model uses support vector machine

NOTE Confidence: 0.91840136051178

 $00:09:45.568 \longrightarrow 00:09:48.085$  coupled with stochastic gradient descent

NOTE Confidence: 0.91840136051178

 $00:09:48.085 \longrightarrow 00:09:50.635$  as the classification algorithm next.

NOTE Confidence: 0.91840136051178

 $00:09:50.640 \longrightarrow 00:09:52.244$  The original performance metrics

NOTE Confidence: 0.91840136051178

 $00:09:52.244 \longrightarrow 00:09:54.650$  for the model were fairly good,

NOTE Confidence: 0.91840136051178

 $00:09:54.650 \longrightarrow 00:09:57.338$  so precision or positive convicted value

NOTE Confidence: 0.91840136051178

 $00:09:57.338 \longrightarrow 00:10:00.421$  with 0.8 recall or sensitivity with 0.7

NOTE Confidence: 0.91840136051178

 $00:10:00.421 \longrightarrow 00:10:03.470$  and the F measure was zero point 8.

NOTE Confidence: 0.91840136051178

00:10:03.470 --> 00:10:08.194 Next So our goal in this initial

00:10:08.194 --> 00:10:10.878 project is to adapt this symptom

NOTE Confidence: 0.91840136051178

 $00:10:10.878 \longrightarrow 00:10:13.743$  extraction pipeline to identify COVID-19

NOTE Confidence: 0.91840136051178

00:10:13.743 --> 00:10:16.708 symptoms in patients over time next.

NOTE Confidence: 0.91840136051178

 $00:10:16.710 \longrightarrow 00:10:18.785$  Our sample will include veterans

NOTE Confidence: 0.91840136051178

 $00{:}10{:}18.785 \dashrightarrow 00{:}10{:}21.410$  from two well established VA cohort.

NOTE Confidence: 0.91840136051178

 $00:10:21.410 \longrightarrow 00:10:23.440$  The women veterans cohort or

NOTE Confidence: 0.91840136051178

 $00:10:23.440 \longrightarrow 00:10:26.100$  Windex and the VA birth cohort.

NOTE Confidence: 0.91840136051178

 $00:10:26.100 \longrightarrow 00:10:29.286$  We will include individual to tested

NOTE Confidence: 0.91840136051178

00:10:29.286 --> 00:10:32.705 positive for COVID-19 and we will include

NOTE Confidence: 0.91840136051178

00:10:32.705 --> 00:10:36.164 all of their notes from 2 weeks before

NOTE Confidence: 0.91840136051178

 $00:10:36.164 \longrightarrow 00:10:39.470$  the diagnosis through two weeks after.

NOTE Confidence: 0.91840136051178

 $00:10:39.470 \longrightarrow 00:10:41.342$  Give you a bit of information

NOTE Confidence: 0.91840136051178

 $00:10:41.342 \longrightarrow 00:10:42.590$  on the two cohorts.

NOTE Confidence: 0.91840136051178

 $00:10:42.590 \longrightarrow 00:10:45.318$  With it is a cohort of veterans identified

NOTE Confidence: 0.91840136051178

00:10:45.318 --> 00:10:47.937 from the roster of post 911 conflict.

 $00:10:47.940 \longrightarrow 00:10:50.010$  Information from the roster is

NOTE Confidence: 0.91840136051178

 $00{:}10{:}50.010 {\:\dashrightarrow\:} 00{:}10{:}52.080$  available and include separate data,

NOTE Confidence: 0.91840136051178

00:10:52.080 --> 00:10:54.145 birth date of last deployment

NOTE Confidence: 0.91840136051178

 $00:10:54.145 \longrightarrow 00:10:55.384$  and armed forces,

NOTE Confidence: 0.91840136051178

 $00:10:55.390 \longrightarrow 00:10:56.950$  branching component roster data

NOTE Confidence: 0.91840136051178

00:10:56.950 --> 00:10:59.290 have also been linked to electronic

NOTE Confidence: 0.91840136051178

 $00{:}10{:}59.355 \dashrightarrow 00{:}11{:}01.941$  health record data with its includes

NOTE Confidence: 0.91840136051178

00:11:01.941 --> 00:11:03.665 approximately 1.2 million individual.

NOTE Confidence: 0.91840136051178

 $00{:}11{:}03.670 {\:\dashrightarrow\:} 00{:}11{:}05.740$  It represents a younger cohort.

NOTE Confidence: 0.91840136051178

 $00:11:05.740 \longrightarrow 00:11:08.122$  The mean age for women was

NOTE Confidence: 0.91840136051178

00:11:08.122 --> 00:11:10.709 29 an for men 30 years,

NOTE Confidence: 0.91840136051178

 $00:11:10.710 \longrightarrow 00:11:13.188$  as is typical in the VA.

NOTE Confidence: 0.907338380813599

00:11:15.420 --> 00:11:17.807 As a typical in the VA discovered,

NOTE Confidence: 0.907338380813599

 $00:11:17.810 \longrightarrow 00:11:19.510$  is primarily male, an white.

NOTE Confidence: 0.907338380813599

00:11:19.510 --> 00:11:21.394 However, it is important to remember

NOTE Confidence: 0.907338380813599

 $00{:}11{:}21.394 \dashrightarrow 00{:}11{:}23.658$  that within the VA there is richer

00:11:23.658 --> 00:11:24.914 racial and ethnic diversity

NOTE Confidence: 0.907338380813599

 $00:11:24.914 \longrightarrow 00:11:27.010$  than in the general population,

NOTE Confidence: 0.907338380813599

00:11:27.010 --> 00:11:30.038 particularly among women next.

NOTE Confidence: 0.907338380813599

00:11:30.040 --> 00:11:33.370 The VA birth cohort is an EHR based cohort.

NOTE Confidence: 0.907338380813599

 $00:11:33.370 \longrightarrow 00:11:34.850$  It includes all veterans

NOTE Confidence: 0.907338380813599

 $00:11:34.850 \longrightarrow 00:11:36.700$  born between 1945 and 1965,

NOTE Confidence: 0.907338380813599

 $00:11:36.700 \longrightarrow 00:11:38.920$  so these are baby boomer better.

NOTE Confidence: 0.907338380813599

 $00:11:38.920 \longrightarrow 00:11:42.079$  Much older than those than most of those in

NOTE Confidence: 0.907338380813599

 $00{:}11{:}42.079 \dashrightarrow 00{:}11{:}45.206$  with the total sample size is 4.2 million.

NOTE Confidence: 0.907338380813599

 $00:11:45.210 \longrightarrow 00:11:48.243$  The age range is 55 to 75 years and

NOTE Confidence: 0.907338380813599

00:11:48.243 --> 00:11:51.129 again it is majority white and male,

NOTE Confidence: 0.907338380813599

 $00:11:51.130 \longrightarrow 00:11:54.178$  but it is important to note that even

NOTE Confidence: 0.907338380813599

00:11:54.178 --> 00:11:57.431 though women are only 15% of this cohort,

NOTE Confidence: 0.907338380813599

 $00:11:57.431 \longrightarrow 00:11:59.916$  this represents almost half a

NOTE Confidence: 0.907338380813599

 $00:11:59.916 \longrightarrow 00:12:01.420$  million women next.

 $00:12:01.420 \longrightarrow 00:12:03.826$  In terms of our sample size,

NOTE Confidence: 0.907338380813599

00:12:03.830 --> 00:12:06.644 as of May 16th at 5:41 PM,

NOTE Confidence: 0.907338380813599

 $00:12:06.650 \longrightarrow 00:12:08.400$  the cumulative number of coded

NOTE Confidence: 0.907338380813599

 $00:12:08.400 \longrightarrow 00:12:10.732$  19 cases within the VA with

NOTE Confidence: 0.907338380813599

 $00:12:10.732 \longrightarrow 00:12:12.268$  approximately 12,000 next.

NOTE Confidence: 0.883646547794342

00:12:14.440 --> 00:12:16.933 So how are you gonna test and adapt our

NOTE Confidence: 0.883646547794342

 $00:12:16.933 \longrightarrow 00:12:19.012$  system pipeline as a first step will

NOTE Confidence: 0.883646547794342

 $00:12:19.012 \longrightarrow 00:12:20.961$  be to restrict the Simpson dictionary

NOTE Confidence: 0.883646547794342

 $00:12:20.961 \longrightarrow 00:12:23.495$  so that the terms included are only

NOTE Confidence: 0.883646547794342

00:12:23.495 --> 00:12:25.120 those pertinent to COVID-19 next.

NOTE Confidence: 0.892618954181671

 $00:12:27.190 \longrightarrow 00:12:29.605$  The next step is to run this

NOTE Confidence: 0.892618954181671

 $00:12:29.605 \longrightarrow 00:12:30.640$  restricted symptom extractor

NOTE Confidence: 0.892618954181671

 $00:12:30.702 \longrightarrow 00:12:33.166$  pipeline on all of the notes and to

NOTE Confidence: 0.892618954181671

 $00:12:33.166 \longrightarrow 00:12:34.880$  have clinicians review to result.

NOTE Confidence: 0.892618954181671

 $00:12:34.880 \longrightarrow 00:12:37.135$  7 conditions will review a

NOTE Confidence: 0.892618954181671

 $00:12:37.135 \longrightarrow 00:12:39.390$  random subset of 700 note.

 $00:12:39.390 \longrightarrow 00:12:41.880$  Conditions will first create guidelines

NOTE Confidence: 0.892618954181671

 $00:12:41.880 \longrightarrow 00:12:44.370$  for identifying positive and negative

NOTE Confidence: 0.892618954181671

 $00:12:44.437 \longrightarrow 00:12:46.765$  note based on their clinical knowledge

NOTE Confidence: 0.892618954181671

 $00:12:46.765 \longrightarrow 00:12:49.158$  and an initial review of 100 note.

NOTE Confidence: 0.892618954181671

 $00:12:49.160 \longrightarrow 00:12:51.450$  The guidelines will be revised.

NOTE Confidence: 0.892618954181671

 $00:12:51.450 \longrightarrow 00:12:54.534$  Intel Acampe of 0.85 for Inter

NOTE Confidence: 0.892618954181671

 $00:12:54.534 \longrightarrow 00:12:56.590$  rater reliability is achieved.

NOTE Confidence: 0.892618954181671

00:12:56.590 --> 00:12:58.575 Each condition will then review

NOTE Confidence: 0.892618954181671

00:12:58.575 --> 00:13:00.163 and evaluate a hundred-and-fifty

NOTE Confidence: 0.892618954181671

00:13:00.163 --> 00:13:01.978 notes out of the remaining 600

NOTE Confidence: 0.892618954181671

00:13:01.978 --> 00:13:04.030 nodes so that each node is reviewed

NOTE Confidence: 0.892618954181671

 $00:13:04.030 \longrightarrow 00:13:05.610$  by at least two clinicians.

NOTE Confidence: 0.892618954181671

 $00{:}13{:}05.610 \dashrightarrow 00{:}13{:}07.518$  We will then compare reviewer assessments

NOTE Confidence: 0.892618954181671

 $00{:}13{:}07.518 \dashrightarrow 00{:}13{:}09.280$  where the two reviewers disagree.

NOTE Confidence: 0.892618954181671

 $00:13:09.280 \longrightarrow 00:13:13.264$  The Pi will make the final decision next.

 $00:13:13.270 \longrightarrow 00:13:15.720$  The third step will be to compare

NOTE Confidence: 0.892618954181671

 $00{:}13{:}15.720 \dashrightarrow 00{:}13{:}17.545$  the symptoms identified by the

NOTE Confidence: 0.892618954181671

 $00:13:17.545 \longrightarrow 00:13:19.325$  pipeline with those identified by

NOTE Confidence: 0.892618954181671

 $00:13:19.325 \longrightarrow 00:13:21.438$  the clinicians in these 700 notes,

NOTE Confidence: 0.892618954181671

 $00:13:21.440 \longrightarrow 00:13:23.512$  and we're targeting precision

NOTE Confidence: 0.892618954181671

 $00:13:23.512 \longrightarrow 00:13:26.102$  and recall at 0.8 next.

NOTE Confidence: 0.892618954181671

 $00:13:26.110 \longrightarrow 00:13:28.105$  If we do not achieve this goal,

NOTE Confidence: 0.892618954181671

 $00:13:28.110 \longrightarrow 00:13:29.998$  there are a number of approaches that we

NOTE Confidence: 0.892618954181671

 $00{:}13{:}29.998 \dashrightarrow 00{:}13{:}32.100$  can use to improve pipeline performance.

NOTE Confidence: 0.892618954181671

 $00:13:32.100 \longrightarrow 00:13:34.636$  The first will be to augment the symptom

NOTE Confidence: 0.892618954181671

 $00:13:34.636 \longrightarrow 00:13:36.330$  terms identified by the dictionary.

NOTE Confidence: 0.89261895418167100:13:36.330 --> 00:13:37.242 To do this,

NOTE Confidence: 0.892618954181671

 $00:13:37.242 \longrightarrow 00:13:39.370$  we will use topic modeling to identify

NOTE Confidence: 0.892618954181671

00:13:39.432 --> 00:13:41.556 relevant symptom terms in the note.

NOTE Confidence: 0.892618954181671

00:13:41.560 --> 00:13:43.684 Topic modeling is a machine learning

NOTE Confidence: 0.892618954181671

 $00{:}13{:}43.684 \dashrightarrow 00{:}13{:}45.914$  techniques that can be applied to

 $00:13:45.914 \longrightarrow 00:13:47.799$  large corpora to discover themes,

NOTE Confidence: 0.892618954181671

 $00:13:47.800 \longrightarrow 00:13:50.210$  IE symptom topics that are

NOTE Confidence: 0.892618954181671

 $00:13:50.210 \longrightarrow 00:13:51.174$  semantically related.

NOTE Confidence: 0.892618954181671

 $00:13:51.180 \longrightarrow 00:13:53.615$  We can create Raina bidirectional

NOTE Confidence: 0.892618954181671

 $00:13:53.615 \longrightarrow 00:13:55.076$  encoder representations from

NOTE Confidence: 0.892618954181671

 $00:13:55.076 \longrightarrow 00:13:57.540$  Transformers or bird model on 10,000

NOTE Confidence: 0.892618954181671

 $00:13:57.540 \longrightarrow 00:13:59.676$  documents with keywords to boost the

NOTE Confidence: 0.892618954181671

 $00:13:59.739 \longrightarrow 00:14:01.994$  LP's ability to recognize synonyms

NOTE Confidence: 0.892618954181671

 $00:14:01.994 \longrightarrow 00:14:03.798$  related terms and misspelling.

NOTE Confidence: 0.892618954181671 00:14:03.800 --> 00:14:04.240 Finally, NOTE Confidence: 0.892618954181671

00:14:04.240 --> 00:14:06.880 we can target the machine learning

NOTE Confidence: 0.892618954181671

 $00{:}14{:}06.880 \dashrightarrow 00{:}14{:}09.645$  component of the pipeline and train

NOTE Confidence: 0.892618954181671

 $00{:}14{:}09.645 \dashrightarrow 00{:}14{:}12.375$  and test support vector machine models

NOTE Confidence: 0.892618954181671

 $00{:}14{:}12.375 \dashrightarrow 00{:}14{:}15.109$  with different configurations next.

NOTE Confidence: 0.892618954181671

00:14:15.110 --> 00:14:16.958 We're applying for funding for this

 $00:14:16.958 \longrightarrow 00:14:19.540$  project from the VA rapid response project.

NOTE Confidence: 0.892618954181671

 $00:14:19.540 \longrightarrow 00:14:22.006$  Calls were also submitting a proposal

NOTE Confidence: 0.892618954181671

 $00:14:22.006 \longrightarrow 00:14:24.990$  in response to why a sense called

NOTE Confidence: 0.892618954181671

 $00:14:24.990 \longrightarrow 00:14:27.100$  for intramural pilot gram next.

NOTE Confidence: 0.892618954181671

00:14:27.100 --> 00:14:29.332 Once we have adapted the pipeline

NOTE Confidence: 0.892618954181671

00:14:29.332 --> 00:14:30.820 to accurately identify COVID-19

NOTE Confidence: 0.892618954181671

00:14:30.886 --> 00:14:32.546 symptoms in VAEHR text notes,

NOTE Confidence: 0.892618954181671

 $00:14:32.550 \longrightarrow 00:14:36.001$  there are a number of projects that

NOTE Confidence: 0.892618954181671

 $00:14:36.001 \longrightarrow 00:14:39.158$  we are interested in pursuing next.

NOTE Confidence: 0.892618954181671

 $00:14:39.160 \longrightarrow 00:14:41.122$  The first project will focus on

NOTE Confidence: 0.892618954181671

 $00{:}14{:}41.122 \dashrightarrow 00{:}14{:}42.908$  evaluating the risk of infection

NOTE Confidence: 0.892618954181671

 $00:14:42.908 \longrightarrow 00:14:45.343$  and death associated with SARS, Co.

NOTE Confidence: 0.892618954181671

 $00:14:45.343 \longrightarrow 00:14:47.884$  V2 and influenza in the six months

NOTE Confidence: 0.892618954181671

 $00:14:47.884 \longrightarrow 00:14:50.780$  following the index infection with COVID-19.

NOTE Confidence: 0.892618954181671

 $00:14:50.780 \longrightarrow 00:14:53.132$  So in 19 will be defined as a

NOTE Confidence: 0.892618954181671

 $00:14:53.132 \longrightarrow 00:14:55.473$  positive arc collected at least eight

 $00{:}14{:}55.473 \dashrightarrow 00{:}14{:}57.993$  weeks after the index and affection

NOTE Confidence: 0.892618954181671

 $00{:}14{:}58.068 \dashrightarrow 00{:}15{:}00.306$  and by the presence of symptoms.

NOTE Confidence: 0.892618954181671

00:15:00.310 --> 00:15:02.837 This project is led by Doctor Rupert,

NOTE Confidence: 0.892618954181671

 $00:15:02.840 \longrightarrow 00:15:04.725$  got an instruction Infectious Diseases

NOTE Confidence: 0.892618954181671

00:15:04.725 --> 00:15:07.887 at the West Haven BA and a yellow Haven.

NOTE Confidence: 0.892618954181671

 $00:15:07.890 \longrightarrow 00:15:09.334$  His mentors include doctors,

NOTE Confidence: 0.892618954181671

00:15:09.334 --> 00:15:10.056 Kathleen Aiken,

NOTE Confidence: 0.892618954181671

 $00{:}15{:}10.060 \dashrightarrow 00{:}15{:}13.756$  Cynthia Branson name each up next.

NOTE Confidence: 0.892618954181671

00:15:13.760 --> 00:15:16.004 We're also interested in looking at

NOTE Confidence: 0.892618954181671

 $00:15:16.004 \longrightarrow 00:15:17.500$  symptoms versus symptom clusters,

NOTE Confidence: 0.892618954181671

 $00:15:17.500 \longrightarrow 00:15:19.370$  and their associations with Cobit

NOTE Confidence: 0.892618954181671

 $00:15:19.370 \longrightarrow 00:15:20.866$  19 testing and seropositivity.

NOTE Confidence: 0.892618954181671

00:15:20.870 --> 00:15:21.624 In particular,

NOTE Confidence: 0.892618954181671

 $00:15:21.624 \longrightarrow 00:15:23.886$  we are interested in exploring whether

NOTE Confidence: 0.892618954181671

 $00:15:23.886 \longrightarrow 00:15:26.480$  symptoms are symptom clusters differ by age,

 $00:15:26.480 \longrightarrow 00:15:26.805 \text{ sex},$ 

NOTE Confidence: 0.892618954181671

 $00{:}15{:}26.805 \dashrightarrow 00{:}15{:}29.405$  race and be a region on the P

NOTE Confidence: 0.892618954181671

 $00:15:29.405 \longrightarrow 00:15:30.960$  on this project,

NOTE Confidence: 0.892618954181671

 $00{:}15{:}30.960 \dashrightarrow 00{:}15{:}34.266$  and I'm working with doctors cut

NOTE Confidence: 0.892618954181671

 $00:15:34.266 \longrightarrow 00:15:37.060$  bacon brands and Justice next.

NOTE Confidence: 0.892618954181671

00:15:37.060 --> 00:15:38.524 Additional projects include

NOTE Confidence: 0.892618954181671

 $00:15:38.524 \longrightarrow 00:15:40.964$  Validating an approach to identifying

NOTE Confidence: 0.892618954181671

 $00:15:40.964 \longrightarrow 00:15:43.183$  COVID-19 infection in VA data for

NOTE Confidence: 0.892618954181671

 $00:15:43.183 \longrightarrow 00:15:44.959$  research in Qi purposes that include

NOTE Confidence: 0.894699275493622

 $00:15:45.021 \longrightarrow 00:15:46.613$  the combination of symptoms

NOTE Confidence: 0.894699275493622

00:15:46.613 --> 00:15:47.807 or symptom clusters,

NOTE Confidence: 0.894699275493622

 $00{:}15{:}47.810 \dashrightarrow 00{:}15{:}50.589$  results of chest radiographs for CT scans,

NOTE Confidence: 0.894699275493622

 $00:15:50.590 \longrightarrow 00:15:53.002$  an arc testing were also interested

NOTE Confidence: 0.894699275493622

 $00:15:53.002 \longrightarrow 00:15:55.725$  in exploring whether or not we can

NOTE Confidence: 0.894699275493622

 $00:15:55.725 \longrightarrow 00:15:57.460$  use the adapted symptom extractor

NOTE Confidence: 0.894699275493622

 $00{:}15{:}57.460 \dashrightarrow 00{:}16{:}00.377$  as the foundation for an EHR based

 $00:16:00.377 \longrightarrow 00:16:02.522$  bio surveillance system to identify

NOTE Confidence: 0.894699275493622

 $00:16:02.530 \longrightarrow 00:16:04.520$  the onset of new code.

NOTE Confidence: 0.894699275493622

 $00:16:04.520 \longrightarrow 00:16:06.674$  19 searches were interested in seeing

NOTE Confidence: 0.894699275493622

 $00:16:06.674 \longrightarrow 00:16:09.310$  whether or not this symptom extractor.

NOTE Confidence: 0.894699275493622

 $00:16:09.310 \longrightarrow 00:16:11.488$  Can be adapted to other electronic

NOTE Confidence: 0.894699275493622

 $00:16:11.488 \longrightarrow 00:16:13.390$  health records such as epics,

NOTE Confidence: 0.894699275493622

 $00:16:13.390 \longrightarrow 00:16:15.182$  into other electronic data

NOTE Confidence: 0.894699275493622

00:16:15.182 --> 00:16:16.974 sources such as Google.

NOTE Confidence: 0.894699275493622

00:16:16.980 --> 00:16:18.520 Finally, we're interested in

NOTE Confidence: 0.894699275493622

 $00:16:18.520 \longrightarrow 00:16:20.060$  looking at associations between

NOTE Confidence: 0.894699275493622

 $00:16:20.060 \longrightarrow 00:16:21.789$  symptoms and symptom clusters.

NOTE Confidence: 0.894699275493622

 $00:16:21.790 \longrightarrow 00:16:26.050$  With code 19 viral load next.

NOTE Confidence: 0.894699275493622

 $00{:}16{:}26.050 \dashrightarrow 00{:}16{:}27.826$  All the work that I've described

NOTE Confidence: 0.894699275493622

 $00:16:27.826 \longrightarrow 00:16:29.840$  as the product of team science,

NOTE Confidence: 0.894699275493622

00:16:29.840 --> 00:16:32.045 members of the team are from Yale,

00:16:32.050 --> 00:16:33.314 the School of Nursing,

NOTE Confidence: 0.894699275493622

 $00:16:33.314 \longrightarrow 00:16:34.894$  and the school of Madison,

NOTE Confidence: 0.894699275493622

 $00{:}16{:}34.900 \dashrightarrow 00{:}16{:}37.366$  George Washington University and OHSU next.

NOTE Confidence: 0.894699275493622

 $00:16:37.370 \longrightarrow 00:16:38.327$  Thank you much.

NOTE Confidence: 0.894699275493622

 $00{:}16{:}38.327 \dashrightarrow 00{:}16{:}40.560$  Thank you very much for your time.

NOTE Confidence: 0.967540144920349

 $00:16:46.390 \longrightarrow 00:16:48.026$  Thank you very much.