WEBVTT

NOTE duration: "00:07:55.2430000"

NOTE language:en-us

NOTE Confidence: 0.976387

00:00:15.290 --> 00:00:18.208 So when I do a fast, I usually start with

NOTE Confidence: 0.976387

 $00:00:18.210 \longrightarrow 00:00:20.410$ the right upper quadrant view and I'd like

NOTE Confidence: 0.976387

 $00:00:20.410 \longrightarrow 00:00:22.587$ to start in the anterior humoral line,

NOTE Confidence: 0.976387

 $00:00:22.590 \longrightarrow 00:00:24.162$ looking for rib space.

NOTE Confidence: 0.976387

00:00:24.162 --> 00:00:25.734 And and looking again,

NOTE Confidence: 0.976387

 $00:00:25.740 \longrightarrow 00:00:27.822$ we're going to illustrate a couple

NOTE Confidence: 0.976387

 $00:00:27.822 \longrightarrow 00:00:28.863$ of different movements.

NOTE Confidence: 0.976387

 $00:00:28.870 \longrightarrow 00:00:30.610$ One is this so called,

NOTE Confidence: 0.976387

 $00{:}00{:}30.610 \dashrightarrow 00{:}00{:}32.002$ rocking looking superiorly entirely.

NOTE Confidence: 0.976387

 $00:00:32.002 \longrightarrow 00:00:33.742$ And this is called fanning,

NOTE Confidence: 0.976387

 $00:00:33.750 \longrightarrow 00:00:35.274$ looking anteriorly and posteriorly

NOTE Confidence: 0.976387

 $00:00:35.274 \longrightarrow 00:00:37.179$ and rotating sometimes if we

NOTE Confidence: 0.976387

 $00:00:37.179 \longrightarrow 00:00:38.968$ need to get between two ribs.

NOTE Confidence: 0.976387

 $00{:}00{:}38.970 \dashrightarrow 00{:}00{:}41.399$ But this is a pretty good image.

 $00:00:41.400 \longrightarrow 00:00:44.599$ Then I'm sliding up and down towards

NOTE Confidence: 0.976387

 $00{:}00{:}44.599 \dashrightarrow 00{:}00{:}47.529$ inferior pole of the right kidney.

NOTE Confidence: 0.976387

 $00:00:47.530 \longrightarrow 00:00:48.805$ So that's a complete write

NOTE Confidence: 0.976387

 $00:00:48.805 \longrightarrow 00:00:49.825$ up a project video.

NOTE Confidence: 0.9712328

00:00:58.900 --> 00:01:01.276 The next few, since we're in the territory,

NOTE Confidence: 0.9712328

 $00:01:01.280 \longrightarrow 00:01:03.366$ we can do a sub typhoid view.

NOTE Confidence: 0.9712328

00:01:03.370 --> 00:01:05.122 Again, you're putting the chance you

NOTE Confidence: 0.9712328

00:01:05.122 --> 00:01:07.239 shirt it's a diaper region aiming up.

NOTE Confidence: 0.9712328

00:01:07.240 --> 00:01:09.480 Sometimes it's easier to put the hand on

NOTE Confidence: 0.9712328

 $00:01:09.480 \longrightarrow 00:01:12.010$ top of the transition and then a month,

NOTE Confidence: 0.9712328

 $00{:}01{:}12.010 \dashrightarrow 00{:}01{:}14.394$ and then Antonio is going to help me

NOTE Confidence: 0.9712328

 $00:01:14.400 \longrightarrow 00:01:16.480$ change the depth so that it's part.

NOTE Confidence: 0.9785403

 $00{:}01{:}19.450 \dashrightarrow 00{:}01{:}20.878$ Again, that you might find this

NOTE Confidence: 0.9785403

 $00:01:20.878 \longrightarrow 00:01:22.230$ difficult in the skinny patient,

NOTE Confidence: 0.9785403

 $00:01:22.230 \longrightarrow 00:01:24.198$ it's very difficult to get a very good

 $00:01:24.198 \longrightarrow 00:01:25.899$ window will show you on the cardiac

NOTE Confidence: 0.9785403

 $00:01:25.899 \longrightarrow 00:01:27.922$ views where you can get a question along

NOTE Confidence: 0.9785403

 $00{:}01{:}27.922 \dashrightarrow 00{:}01{:}29.819$ Axis which looks very similar to this.

NOTE Confidence: 0.9775981

 $00:01:37.990 \longrightarrow 00:01:39.788$ The next thing we look at is

NOTE Confidence: 0.9775981

00:01:39.788 --> 00:01:40.816 left Upper Quadrant View,

NOTE Confidence: 0.9775981

 $00:01:40.820 \longrightarrow 00:01:42.619$ where you can put your hand really

NOTE Confidence: 0.9775981

 $00:01:42.619 \longrightarrow 00:01:44.417$ almost at the bottom of the bed.

NOTE Confidence: 0.9640667

00:01:46.840 --> 00:01:48.590 Looking at the spleen again,

NOTE Confidence: 0.9640667

 $00:01:48.590 \longrightarrow 00:01:50.618$ you're going to be fanning to

NOTE Confidence: 0.9640667

 $00:01:50.618 \longrightarrow 00:01:52.395$ look more anteriorly that stomach

NOTE Confidence: 0.9640667

 $00:01:52.395 \longrightarrow 00:01:54.190$ full of snack after school.

NOTE Confidence: 0.9640667

 $00:01:54.190 \longrightarrow 00:01:56.105$ Looking closely fanning that gets

NOTE Confidence: 0.9640667

00:01:56.105 --> 00:01:58.430 you the left kidney and sliding

NOTE Confidence: 0.9640667

 $00:01:58.430 \longrightarrow 00:02:01.118$ up to see the rich shadow or the

NOTE Confidence: 0.9640667

 $00:02:01.118 \longrightarrow 00:02:03.423$ diaphragm is sliding down to see the

NOTE Confidence: 0.9640667

 $00{:}02{:}03.423 \dashrightarrow 00{:}02{:}06.820$ inferior pole of the left kidney.

 $00:02:06.820 \longrightarrow 00:02:07.608$ Ferguson artifact.

NOTE Confidence: 0.9640667

00:02:07.608 --> 00:02:10.366 Do you have meddling or rib today?

NOTE Confidence: 0.9640667

 $00:02:10.370 \longrightarrow 00:02:12.340$ I don't know some hydronephrosis.

NOTE Confidence: 0.9640667

 $00:02:12.340 \longrightarrow 00:02:14.698$ Joshua this is so as muscle.

NOTE Confidence: 0.9854896

00:02:22.170 --> 00:02:23.186 Super pubic you again.

NOTE Confidence: 0.9854896

 $00:02:23.186 \longrightarrow 00:02:24.710$ You want to put the transducer

NOTE Confidence: 0.9854896

00:02:24.762 --> 00:02:26.247 right over the pubic synthesis,

NOTE Confidence: 0.9854896

 $00:02:26.250 \longrightarrow 00:02:28.658$ which is right here.

NOTE Confidence: 0.9854896

 $00:02:28.660 \longrightarrow 00:02:31.190$ And then looking transversely first.

NOTE Confidence: 0.9432466

 $00:02:33.310 \longrightarrow 00:02:35.982$ Any blood in any free through broadband blood

NOTE Confidence: 0.9432466

 $00:02:35.982 \longrightarrow 00:02:38.826$ any free flight collect behind the platter,

NOTE Confidence: 0.9432466

 $00:02:38.830 \longrightarrow 00:02:41.406$ either the transfers or the sagittal view.

NOTE Confidence: 0.9432466

 $00{:}02{:}41.410 \dashrightarrow 00{:}02{:}43.684$ Then you rotate the transducer with

NOTE Confidence: 0.9432466

 $00:02:43.684 \longrightarrow 00:02:46.189$ indicator towards the head of the patient.

NOTE Confidence: 0.9432466

00:02:46.190 --> 00:02:48.598 Again, the free fluid would be behind

 $00:02:48.598 \longrightarrow 00:02:51.255$ in the colder sack in the female

NOTE Confidence: 0.9432466

 $00:02:51.255 \longrightarrow 00:02:53.920$ patient behind the bladder, in the mail.

NOTE Confidence: 0.9763768

 $00{:}03{:}01.990 \dashrightarrow 00{:}03{:}03.952$ Remember the first examination you are

NOTE Confidence: 0.9763768

 $00:03:03.952 \longrightarrow 00:03:06.190$ looking for an answer to the question.

NOTE Confidence: 0.9763768

 $00:03:06.190 \longrightarrow 00:03:09.084$ Do I see free fluid? Yes or no?

NOTE Confidence: 0.9763768

 $00:03:09.084 \longrightarrow 00:03:11.652$ It is either positive or negative.

NOTE Confidence: 0.9763768

 $00:03:11.660 \longrightarrow 00:03:14.500$ It is not designed to tell you where

NOTE Confidence: 0.9763768

00:03:14.500 --> 00:03:17.559 the fluid is leaking from or why the

NOTE Confidence: 0.9763768

 $00{:}03{:}17.559 \dashrightarrow 00{:}03{:}20.390$ patient is bleeding in the first place.

NOTE Confidence: 0.9763768

 $00:03:20.390 \longrightarrow 00:03:21.275$ Fluid yes no.

NOTE Confidence: 0.9763768

 $00{:}03{:}21.275 \dashrightarrow 00{:}03{:}23.045$ Is the question we will answer.

NOTE Confidence: 0.9748931

 $00:03:36.310 \longrightarrow 00:03:37.675$ This is what a pericardial

NOTE Confidence: 0.9748931

00:03:37.675 --> 00:03:38.767 effusion would look like.

NOTE Confidence: 0.9748931

00:03:38.770 --> 00:03:41.394 You can see how the heart seems pushed

NOTE Confidence: 0.9748931

 $00:03:41.394 \longrightarrow 00:03:44.470$ to the side by a large amount of fluid.

NOTE Confidence: 0.9748931

 $00:03:44.470 \longrightarrow 00:03:46.120$ This is a positive fast,

 $00:03:46.120 \longrightarrow 00:03:48.454$ although the view obtained in this

NOTE Confidence: 0.9748931

 $00:03:48.454 \longrightarrow 00:03:51.123$ case is a parasternal long axis and

NOTE Confidence: 0.9748931

 $00:03:51.123 \longrightarrow 00:03:53.205$ not typically part of the fast.

NOTE Confidence: 0.9748931

00:03:53.210 --> 00:03:56.036 We just wanted to show you what a large

NOTE Confidence: 0.9748931

 $00:03:56.036 \longrightarrow 00:03:57.958$ pericardial effusion would look like.

NOTE Confidence: 0.97956955

 $00:04:10.670 \longrightarrow 00:04:13.316$ You will see the liver closest to

NOTE Confidence: 0.97956955

 $00:04:13.316 \longrightarrow 00:04:15.760$ the transducer and then the kidneys.

NOTE Confidence: 0.97956955

 $00:04:15.760 \longrightarrow 00:04:17.797$ This is the positive or negative fast.

NOTE Confidence: 0.9844385

 $00:04:20.980 \longrightarrow 00:04:22.570$ As you can see, there is

NOTE Confidence: 0.9844385

00:04:22.570 --> 00:04:24.020 fluid in the Morrison's pouch,

NOTE Confidence: 0.9844385

 $00:04:24.020 \longrightarrow 00:04:26.150$ so this fast is positive.

NOTE Confidence: 0.9844385

 $00:04:26.150 \longrightarrow 00:04:28.094$ The CT scan on the right shows you

NOTE Confidence: 0.9844385

00:04:28.094 --> 00:04:30.168 an intra abdominal fluid collection,

NOTE Confidence: 0.9844385

 $00:04:30.170 \longrightarrow 00:04:31.710$ confirming that you were right.

NOTE Confidence: 0.98190695

 $00:04:33.780 \longrightarrow 00:04:36.356$ Here you can see a very small dark

 $00:04:36.356 \longrightarrow 00:04:38.510$ line between the liver and kidney.

NOTE Confidence: 0.98190695

 $00:04:38.510 \longrightarrow 00:04:39.858$ It may be small,

NOTE Confidence: 0.98190695

 $00:04:39.858 \longrightarrow 00:04:41.543$ but still counts as positive.

NOTE Confidence: 0.98190695

 $00:04:41.550 \longrightarrow 00:04:43.240$ Remember, a fast is either

NOTE Confidence: 0.98190695

00:04:43.240 --> 00:04:44.254 positive or negative,

NOTE Confidence: 0.98190695

 $00:04:44.260 \longrightarrow 00:04:45.950$ not a little bit positive.

NOTE Confidence: 0.981541

 $00:04:58.830 \longrightarrow 00:05:02.470$ Is this positive or negative?

NOTE Confidence: 0.981541

 $00:05:02.470 \longrightarrow 00:05:03.642$ Yes, you know it.

NOTE Confidence: 0.981541

 $00:05:03.642 \longrightarrow 00:05:05.107$ There is fluid between the

NOTE Confidence: 0.981541

 $00{:}05{:}05.107 \dashrightarrow 00{:}05{:}06.280$ diaphragm and the spleen.

NOTE Confidence: 0.981541

 $00:05:06.280 \longrightarrow 00:05:08.500$ It is positive.

NOTE Confidence: 0.981541

00:05:08.500 --> 00:05:09.529 Positive or negative?

NOTE Confidence: 0.9881071

00:05:11.560 --> 00:05:13.366 Yep, you know it. It is positive

NOTE Confidence: 0.9881071

 $00:05:13.366 \longrightarrow 00:05:15.590$ there is a small fluid collection.

NOTE Confidence: 0.98010504

00:05:38.910 --> 00:05:40.782 Here you can see free fluid

NOTE Confidence: 0.98010504

 $00:05:40.782 \longrightarrow 00:05:42.030$ behind the bladder representing

 $00{:}05{:}42.087 \dashrightarrow 00{:}05{:}43.567$ a positive fast examination.

NOTE Confidence: 0.98010504

 $00{:}05{:}43.570 \dashrightarrow 00{:}05{:}46.900$ As you can see on the picture on the right,

NOTE Confidence: 0.98010504

 $00:05:46.900 \longrightarrow 00:05:50.876$ it was confirmed by a CT scan.

NOTE Confidence: 0.98010504

 $00:05:50.880 \longrightarrow 00:05:53.500$ Alright, ready for some cases.

NOTE Confidence: 0.98010504

 $00{:}05{:}53.500 \dashrightarrow 00{:}05{:}56.128$ I want you to first name the view and

NOTE Confidence: 0.98010504

 $00:05:56.128 \longrightarrow 00:05:58.650$ second point out the pathology. Let's go.

NOTE Confidence: 0.93238425

00:06:05.040 --> 00:06:06.171 Yes, you're right,

NOTE Confidence: 0.93238425

 $00:06:06.171 \longrightarrow 00:06:08.810$ we used a curvilinear probe and this

NOTE Confidence: 0.93238425

 $00{:}06{:}08.884 \dashrightarrow 00{:}06{:}11.146$ is the right upper quadrant view.

NOTE Confidence: 0.93238425

 $00:06:11.150 \longrightarrow 00:06:12.562$ The fast is positive.

NOTE Confidence: 0.93238425

00:06:12.562 --> 00:06:14.680 You can clearly see free fluid

NOTE Confidence: 0.93238425

 $00:06:14.751 \longrightarrow 00:06:16.788$ on the left lobe of the liver.

NOTE Confidence: 0.93238425

00:06:16.790 --> 00:06:19.338 And at Morrisons pouch.

NOTE Confidence: 0.93238425

 $00:06:19.340 \longrightarrow 00:06:20.230$ Ready for the next one?

NOTE Confidence: 0.9651404

 $00:06:26.750 \longrightarrow 00:06:28.700$ Good job, we were using a

 $00:06:28.700 \longrightarrow 00:06:30.416$ curvilinear probe and this is

NOTE Confidence: 0.9651404

 $00{:}06{:}30.416 \dashrightarrow 00{:}06{:}32.136$ the right upper quadrant view.

NOTE Confidence: 0.9651404

 $00:06:32.140 \longrightarrow 00:06:34.420$ It is positive because there is

NOTE Confidence: 0.9651404

 $00:06:34.420 \longrightarrow 00:06:37.231$ a tiny amount of free fluid at

NOTE Confidence: 0.9651404

 $00:06:37.231 \longrightarrow 00:06:39.655$ the inferior pole of the spleen.

NOTE Confidence: 0.9651404

 $00:06:39.660 \longrightarrow 00:06:41.646$ OK, advance to the next slide.

NOTE Confidence: 0.9651404

 $00:06:41.650 \longrightarrow 00:06:42.649$ Take your time.

NOTE Confidence: 0.88447994

 $00:06:54.980 \longrightarrow 00:06:57.857$ Yes, we used a curvilinear probe and

NOTE Confidence: 0.88447994

 $00{:}06{:}57.857 \dashrightarrow 00{:}07{:}01.028$ we're looking at the right pleural space.

NOTE Confidence: 0.88447994

00:07:01.030 --> 00:07:03.470 You correctly identified the

NOTE Confidence: 0.88447994

 $00{:}07{:}03.470 \dashrightarrow 00{:}07{:}05.978$ pleural effusion. We will cover the

NOTE Confidence: 0.88447994

 $00:07:05.978 \dashrightarrow 00:07:07.910$ lung and pleural pathologies in a

NOTE Confidence: 0.88447994

 $00:07:07.974 \dashrightarrow 00:07:10.070$ separate lecture though. Next case.

NOTE Confidence: 0.9108009

 $00:07:17.390 \longrightarrow 00:07:18.950$ We used a curvilinear probe

NOTE Confidence: 0.9108009

 $00:07:18.950 \longrightarrow 00:07:20.900$ and this was a pelvic view.

NOTE Confidence: 0.9108009

 $00:07:20.900 \longrightarrow 00:07:23.660$ It is positive for free fluid.

00:07:23.660 --> 00:07:25.528 Remember, in pediatric cases,

NOTE Confidence: 0.9108009

00:07:25.528 --> 00:07:27.396 most positive fast scans

NOTE Confidence: 0.9108009

 $00:07:27.396 \longrightarrow 00:07:29.600$ are seen on pelvic views,

NOTE Confidence: 0.9108009

 $00:07:29.600 \longrightarrow 00:07:31.940$ in contrast with a dults where

NOTE Confidence: 0.9108009

 $00:07:31.940 \longrightarrow 00:07:34.280$ the Morrisons pouch view is

NOTE Confidence: 0.9108009

 $00{:}07{:}34.363 \dashrightarrow 00{:}07{:}36.579$ the most commonly positive.

NOTE Confidence: 0.9108009

 $00:07:36.580 \longrightarrow 00:07:38.036$ Stromberg one less case,

NOTE Confidence: 0.9108009

 $00:07:38.036 \longrightarrow 00:07:39.128$ and you're done.

NOTE Confidence: 0.9504577

 $00:07:46.540 \longrightarrow 00:07:49.774$ Perfect, we used a phased array transducer

NOTE Confidence: 0.9504577

 $00{:}07{:}49.774 \dashrightarrow 00{:}07{:}52.840$ and this was a subset food view.

NOTE Confidence: 0.9504577

 $00:07:52.840 \longrightarrow 00:07:55.240$ There is a large pericardial effusion.