## WEBVTT

NOTE duration: "00:29:43.0400000"

NOTE language:en-us

NOTE Confidence: 0.8581176

00:00:14.190 --> 00:00:16.919 It is 9021 AM 1490 FM

NOTE Confidence: 0.8581176

 $00:00:16.920 \longrightarrow 00:00:18.740$  105.5 WGCH NWG ch.com

NOTE Confidence: 0.8581176

00:00:18.740 --> 00:00:20.560 Anywhere I'm Tony Savino.

NOTE Confidence: 0.8581176

 $00{:}00{:}20.560 \dashrightarrow 00{:}00{:}22.835$  Thursday morning means it's time

NOTE Confidence: 0.8581176

 $00{:}00{:}22.835 \dashrightarrow 00{:}00{:}25.230$  for Spotlight on medicine topic.

NOTE Confidence: 0.8581176

00:00:25.230 --> 00:00:27.170 This morning on spotlight

NOTE Confidence: 0.8581176

00:00:27.170 --> 00:00:28.749 pediatric urology at Yale,

NOTE Confidence: 0.8581176

 $00:00:28.750 \longrightarrow 00:00:30.570$  New Haven Children's Hospital's

NOTE Confidence: 0.8581176

 $00{:}00{:}30.570 \dashrightarrow 00{:}00{:}32.845$  pediatric specialty center in Greenwich.

NOTE Confidence: 0.8581176

 $00:00:32.850 \longrightarrow 00:00:35.628$  My guest is doctor Sarah Lambert.

NOTE Confidence: 0.8581176

 $00:00:35.630 \longrightarrow 00:00:37.440$  Pediatric urologist with jel medicine.

NOTE Confidence: 0.8581176

 $00:00:37.440 \longrightarrow 00:00:39.568$  They are located at 500 W Putnam

NOTE Confidence: 0.8581176

 $00:00:39.568 \longrightarrow 00:00:42.150$  Ave and the number is 877-925-3637.

NOTE Confidence: 0.8581176

 $00:00:42.150 \longrightarrow 00:00:44.244$  Doctor Lambert went to Columbia University

 $00:00:44.244 \longrightarrow 00:00:46.047$  College of Physicians and Surgeons

NOTE Confidence: 0.8581176

 $00:00:46.047 \longrightarrow 00:00:47.817$  served her internship and residency

NOTE Confidence: 0.8581176

00:00:47.817 --> 00:00:49.750 at New York Presbyterian Hospital,

NOTE Confidence: 0.8581176

00:00:49.750 --> 00:00:50.836 the Cornell Campus,

NOTE Confidence: 0.8581176

 $00{:}00{:}50.836 \to 00{:}00{:}52.284$  and Fellowship at Children's

NOTE Confidence: 0.8581176

00:00:52.284 --> 00:00:53.370 Hospital in Philadelphia.

NOTE Confidence: 0.8581176

00:00:53.370 --> 00:00:54.818 Good morning, Doctor Lambert.

NOTE Confidence: 0.8581176

 $00:00:54.818 \longrightarrow 00:00:56.628$  Welcome. How are you today?

NOTE Confidence: 0.8581176

 $00:00:56.628 \longrightarrow 00:00:58.438$  I am very well Tony.

NOTE Confidence: 0.8581176

 $00:00:58.440 \longrightarrow 00:01:00.250$  Thank you so much for

NOTE Confidence: 0.8606613

 $00{:}01{:}00.250 \dashrightarrow 00{:}01{:}02.777$  having me with you. Sure well to

NOTE Confidence: 0.8606613

 $00:01:02.780 \longrightarrow 00:01:03.713$  start off with.

NOTE Confidence: 0.8606613

 $00{:}01{:}03.713 \dashrightarrow 00{:}01{:}05.579$  Tell us about your specialty and

NOTE Confidence: 0.8606613

00:01:05.579 --> 00:01:07.735 the Yale New Haven Children's

NOTE Confidence: 0.8606613

00:01:07.735 --> 00:01:09.070 Hospital Specialty Center.

 $00:01:09.070 \longrightarrow 00:01:10.890$  In Greenwich, what type of

NOTE Confidence: 0.8606613

 $00{:}01{:}10.890 \dashrightarrow 00{:}01{:}12.710$  medical conditions do you treat

NOTE Confidence: 0.8606613

 $00:01:12.782 \longrightarrow 00:01:14.480$  and what's the age range of

NOTE Confidence: 0.8173647

00:01:14.480 --> 00:01:15.491 patients you see?

NOTE Confidence: 0.8173647

 $00:01:15.491 \longrightarrow 00:01:17.176$  My pleasure as pediatric urologist.

NOTE Confidence: 0.8173647

 $00:01:17.180 \longrightarrow 00:01:18.870$  We treat children with abnormalities

NOTE Confidence: 0.8173647

 $00:01:18.870 \longrightarrow 00:01:20.560$  of the genital urinary tract,

NOTE Confidence: 0.8173647

 $00:01:20.560 \longrightarrow 00:01:22.926$  so that includes the kidneys, the bladder,

NOTE Confidence: 0.8173647

 $00:01:22.926 \longrightarrow 00:01:26.190$  the \*\*\*\* the testes, the prostate.

NOTE Confidence: 0.8173647

 $00:01:26.190 \longrightarrow 00:01:28.286$  Some of the conditions we treat our related

NOTE Confidence: 0.8173647

 $00:01:28.286 \longrightarrow 00:01:30.137$  to abnormal prenatal development and we

NOTE Confidence: 0.8173647

 $00:01:30.137 \longrightarrow 00:01:32.051$  actually meet these families before the

NOTE Confidence: 0.8173647

 $00:01:32.105 \longrightarrow 00:01:34.277$  children are born when their prenatal

NOTE Confidence: 0.8173647

 $00:01:34.277 \longrightarrow 00:01:35.725$  ultrasounds demonstrate some concerns,

NOTE Confidence: 0.8173647

 $00:01:35.730 \longrightarrow 00:01:37.704$  other children develop issues in childhood

NOTE Confidence: 0.8173647

00:01:37.704 --> 00:01:40.177 or in adolescence or even as young adults,

 $00:01:40.180 \longrightarrow 00:01:42.088$  and we meet them at that

NOTE Confidence: 0.8173647

 $00:01:42.088 \longrightarrow 00:01:43.360$  point in their development.

NOTE Confidence: 0.8173647

 $00:01:43.360 \longrightarrow 00:01:45.322$  We evaluate children with life threatening

NOTE Confidence: 0.8173647

00:01:45.322 --> 00:01:47.498 conditions such as cancer or renal failure,

NOTE Confidence: 0.8173647

 $00:01:47.500 \longrightarrow 00:01:49.733$  but we also see children with conditions

NOTE Confidence: 0.8173647

 $00:01:49.733 \longrightarrow 00:01:51.628$  that affect their quality of life.

NOTE Confidence: 0.8173647

 $00:01:51.630 \longrightarrow 00:01:53.215$  These include bed wetting or

NOTE Confidence: 0.8173647

00:01:53.215 --> 00:01:54.166 daytime urinary incontinence.

NOTE Confidence: 0.8173647

 $00{:}01{:}54.170 \dashrightarrow 00{:}01{:}55.810$  You know that's really affecting

NOTE Confidence: 0.8173647

 $00:01:55.810 \longrightarrow 00:01:57.450$  them in their school work.

NOTE Confidence: 0.8173647

 $00:01:57.450 \longrightarrow 00:01:59.286$  Or at home with their families.

NOTE Confidence: 0.84537303

 $00:01:59.290 \longrightarrow 00:02:01.383$  Alright, so it's it's it's it's a

NOTE Confidence: 0.84537303

 $00{:}02{:}01.383 \dashrightarrow 00{:}02{:}03.260$  pretty wide range of things that

NOTE Confidence: 0.84537303

 $00:02:03.260 \longrightarrow 00:02:05.096$  you have issues that you address

NOTE Confidence: 0.84537303

 $00:02:05.100 \longrightarrow 00:02:06.908$  correct? It is the team here at the

 $00:02:06.908 \dashrightarrow 00:02:08.801$ Yale New Haven Pediatric Urology Center

NOTE Confidence: 0.84537303

 $00{:}02{:}08.801 \dashrightarrow 00{:}02{:}11.263$  in Greenwich Cares for children with a

NOTE Confidence: 0.84537303

 $00:02:11.263 \longrightarrow 00:02:13.273$  tremendous breath of congenital as well

NOTE Confidence: 0.84537303

 $00:02:13.273 \longrightarrow 00:02:15.123$  as functional anomalies of the urogenital

NOTE Confidence: 0.84537303

 $00:02:15.123 \longrightarrow 00:02:17.477$  tract and our overall goal is to keep

NOTE Confidence: 0.84537303

 $00:02:17.477 \longrightarrow 00:02:19.787$  children healthy as they develop and grow.

NOTE Confidence: 0.84537303

 $00:02:19.790 \longrightarrow 00:02:21.750$  So depending on the issue we can

NOTE Confidence: 0.84537303

00:02:21.750 --> 00:02:23.460 guide management of these children,

NOTE Confidence: 0.84537303

 $00{:}02{:}23.460 \dashrightarrow 00{:}02{:}24.680$  either medically or surgically,

NOTE Confidence: 0.84537303

 $00:02:24.680 \longrightarrow 00:02:25.595$  or sometimes both.

NOTE Confidence: 0.84537303

 $00{:}02{:}25.600 \dashrightarrow 00{:}02{:}27.550$  Medically, we manage issues such as.

NOTE Confidence: 0.84537303

00:02:27.550 --> 00:02:28.170 Neurogenic bladder,

NOTE Confidence: 0.84537303

 $00:02:28.170 \longrightarrow 00:02:30.030$  which means the nerves to the

NOTE Confidence: 0.84537303

 $00:02:30.030 \longrightarrow 00:02:31.389$  bladder don't function well.

NOTE Confidence: 0.84537303

 $00{:}02{:}31.390 \dashrightarrow 00{:}02{:}32.990$  Sometimes there's also nerves to

NOTE Confidence: 0.84537303

 $00:02:32.990 \longrightarrow 00:02:34.910$  the bowel that don't function well,

 $00:02:34.910 \longrightarrow 00:02:37.136$  and these children need help to allow

NOTE Confidence: 0.84537303

 $00:02:37.136 \longrightarrow 00:02:39.233$  their bladders to store urine and also

NOTE Confidence: 0.84537303

 $00:02:39.233 \longrightarrow 00:02:41.640$  to empty here in safely we see it

NOTE Confidence: 0.84537303

 $00:02:41.640 \longrightarrow 00:02:43.430$  children with recurrent urinary tract

NOTE Confidence: 0.84537303

 $00{:}02{:}43.430 \to 00{:}02{:}45.497$  in fections and as I stated before,

NOTE Confidence: 0.84537303

 $00:02:45.497 \longrightarrow 00:02:47.142$  day time or nighttime wedding at

NOTE Confidence: 0.84537303

 $00:02:47.142 \longrightarrow 00:02:49.479$  our site were able to offer onsite

NOTE Confidence: 0.84537303

 $00{:}02{:}49.479 \dashrightarrow 00{:}02{:}51.455$  eurologic testing in our state of

NOTE Confidence: 0.84537303

 $00:02:51.455 \longrightarrow 00:02:53.513$  the art facility so we can diagnose

NOTE Confidence: 0.84537303

 $00{:}02{:}53.513 \dashrightarrow 00{:}02{:}55.390$  disorders of the bladder and lower

NOTE Confidence: 0.84537303

 $00:02:55.390 \longrightarrow 00:02:56.030$  urinary tract.

NOTE Confidence: 0.84537303

 $00{:}02{:}56.030 \dashrightarrow 00{:}02{:}57.670$  We offer biofeedback therapy which

NOTE Confidence: 0.84537303

 $00:02:57.670 \longrightarrow 00:02:58.982$  is really pelvic floor.

NOTE Confidence: 0.84537303

 $00:02:58.990 \longrightarrow 00:03:00.064$  Therapy for children.

NOTE Confidence: 0.84537303

 $00:03:00.064 \longrightarrow 00:03:02.961$  I sort of describe it as playing a

 $00:03:02.961 \longrightarrow 00:03:05.187$  video game with the muscles of your

NOTE Confidence: 0.84537303

 $00:03:05.187 \longrightarrow 00:03:07.357$  bottom and the children are usually

NOTE Confidence: 0.84537303

 $00{:}03{:}07.357 \dashrightarrow 00{:}03{:}09.897$  very engaged and it's a really helpful

NOTE Confidence: 0.84537303

 $00{:}03{:}09.897 \dashrightarrow 00{:}03{:}11.979$  way to manage some lower urinary

NOTE Confidence: 0.84537303

 $00:03:11.979 \longrightarrow 00:03:13.770$  tract conditions without requiring any

NOTE Confidence: 0.85175574

 $00{:}03{:}13.770 \dashrightarrow 00{:}03{:}15.178$  medication or surgical interventions.

NOTE Confidence: 0.85175574

 $00:03:15.178 \longrightarrow 00:03:16.589$  Well, how common are

NOTE Confidence: 0.85175574

 $00:03:16.590 \longrightarrow 00:03:18.350$  all these conditions? Quite common,

NOTE Confidence: 0.85175574

 $00{:}03{:}18.350 \longrightarrow 00{:}03{:}20.807$  so when we think of children with,

NOTE Confidence: 0.85175574

00:03:20.810 --> 00:03:23.012 let's say, undescended testes that didn't

NOTE Confidence: 0.85175574

 $00{:}03{:}23.012 \dashrightarrow 00{:}03{:}25.039$  descend into the scrotum at birth,

NOTE Confidence: 0.85175574

 $00:03:25.040 \longrightarrow 00:03:26.985$  that really represents 3% of

NOTE Confidence: 0.85175574

 $00:03:26.985 \longrightarrow 00:03:29.264$  children when they're born and by

NOTE Confidence: 0.85175574

 $00{:}03{:}29.264 \dashrightarrow 00{:}03{:}30.962$  age one that's 1% of children.

NOTE Confidence: 0.85175574

 $00{:}03{:}30.962 \dashrightarrow 00{:}03{:}33.209$  So while some of these children will

NOTE Confidence: 0.85175574

 $00:03:33.209 \longrightarrow 00:03:35.689$  allow the testes to descend spontaneously,

 $00:03:35.690 \longrightarrow 00:03:37.430$  other children require surgical intervention.

NOTE Confidence: 0.85175574

00:03:37.430 --> 00:03:39.170 That's a fairly common issue

NOTE Confidence: 0.85175574

 $00:03:39.170 \longrightarrow 00:03:40.910$  we see boys with hypospadias.

NOTE Confidence: 0.85175574

 $00:03:40.910 \longrightarrow 00:03:42.998$  That is, the development of the

NOTE Confidence: 0.85175574

 $00:03:42.998 \longrightarrow 00:03:45.045$  \*\*\*\* is incomplete and that occurs

NOTE Confidence: 0.85175574

 $00:03:45.045 \longrightarrow 00:03:47.180$  in about 1 in 300 boys.

NOTE Confidence: 0.85175574

00:03:47.180 --> 00:03:49.611 Wow, I didn't realize are very common,

NOTE Confidence: 0.85175574

 $00:03:49.611 \longrightarrow 00:03:51.700$  and although they're not always discussed,

NOTE Confidence: 0.85175574

 $00:03:51.700 \longrightarrow 00:03:53.764$  we see them very frequently and

NOTE Confidence: 0.85175574

00:03:53.764 --> 00:03:55.530 are very familiar with them.

NOTE Confidence: 0.85175574

 $00:03:55.530 \longrightarrow 00:03:56.568$  I see, yeah,

NOTE Confidence: 0.8346979

 $00:03:56.570 \longrightarrow 00:03:57.962$  that's that's the thing.

NOTE Confidence: 0.8346979

 $00{:}03{:}57.962 \dashrightarrow 00{:}03{:}59.702$  Are these things that parents?

NOTE Confidence: 0.8346979

 $00:03:59.710 \longrightarrow 00:04:01.550$  That might be hesitant to?

NOTE Confidence: 0.8346979

 $00:04:01.550 \longrightarrow 00:04:03.235$  Come forward with or are

 $00:04:03.235 \longrightarrow 00:04:05.130$  they open about coming in to

NOTE Confidence: 0.86009294

 $00:04:05.130 \longrightarrow 00:04:06.198$  help their children?

NOTE Confidence: 0.86009294

00:04:06.198 --> 00:04:08.334 I think most families are very

NOTE Confidence: 0.86009294

 $00:04:08.334 \longrightarrow 00:04:09.883$  open about coming into the

NOTE Confidence: 0.86009294

 $00:04:09.883 \longrightarrow 00:04:11.950$  to be helped and to be seen.

NOTE Confidence: 0.86009294

00:04:11.950 --> 00:04:13.580 Most parents are pretty concerned,

NOTE Confidence: 0.86009294

 $00:04:13.580 \longrightarrow 00:04:14.964$  especially in young children,

NOTE Confidence: 0.86009294

 $00:04:14.964 \longrightarrow 00:04:16.694$  and they're not always conditions

NOTE Confidence: 0.86009294

00:04:16.694 --> 00:04:18.222 given that they involve the

NOTE Confidence: 0.86009294

00:04:18.222 --> 00:04:19.908 urinary and genital tract that are

NOTE Confidence: 0.86009294

 $00{:}04{:}19.963 \dashrightarrow 00{:}04{:}21.307$  discussed openly amongst friends

NOTE Confidence: 0.86009294

 $00:04:21.307 \longrightarrow 00:04:23.323$  and other people in the community.

NOTE Confidence: 0.86009294

 $00:04:23.330 \longrightarrow 00:04:25.416$  So I think it's really nice to

NOTE Confidence: 0.86009294

 $00:04:25.416 \longrightarrow 00:04:27.550$  be able to have a friendly,

NOTE Confidence: 0.86009294

 $00:04:27.550 \longrightarrow 00:04:29.500$  welcoming environment that's safe to discuss.

NOTE Confidence: 0.86009294

 $00:04:29.500 \longrightarrow 00:04:30.158$  Any concerns.

 $00:04:30.158 \longrightarrow 00:04:31.803$  I think that's especially important

NOTE Confidence: 0.86009294

 $00:04:31.803 \longrightarrow 00:04:33.840$  when we think about teenage boys.

NOTE Confidence: 0.86009294

 $00:04:33.840 \longrightarrow 00:04:35.632$  Sometimes develop testicular cancer.

NOTE Confidence: 0.86009294

 $00:04:35.632 \longrightarrow 00:04:38.320$  Testicular cancer is the most common

NOTE Confidence: 0.86009294

 $00:04:38.382 \longrightarrow 00:04:40.314$  cancer in boys between 15 and 35

NOTE Confidence: 0.86009294

 $00:04:40.314 \longrightarrow 00:04:42.736$  years of age for young adults as well,

NOTE Confidence: 0.86009294

 $00:04:42.740 \longrightarrow 00:04:45.132$  although it only represents 1% of cancers.

NOTE Confidence: 0.86009294

00:04:45.132 --> 00:04:46.968 Most men and boys palpate a

NOTE Confidence: 0.86009294

 $00{:}04{:}46.968 \dashrightarrow 00{:}04{:}49.150$  lump in their tests themselves,

NOTE Confidence: 0.86009294

 $00{:}04{:}49.150 \dashrightarrow 00{:}04{:}51.256$  so I think it's really important

NOTE Confidence: 0.86009294

 $00:04:51.256 \longrightarrow 00:04:53.404$  within families for them to have

NOTE Confidence: 0.86009294

 $00:04:53.404 \longrightarrow 00:04:54.760$  open discussions about these

NOTE Confidence: 0.86009294

 $00{:}04{:}54.760 \dashrightarrow 00{:}04{:}56.979$  kinds of issues so tee nage boys,

NOTE Confidence: 0.86009294

00:04:56.980 --> 00:04:57.642 for example,

NOTE Confidence: 0.86009294

 $00:04:57.642 \longrightarrow 00:04:59.297$  feel comfortable telling their parents

00:04:59.297 --> 00:05:01.249 that they're noticing something different,

NOTE Confidence: 0.86009294

 $00:05:01.250 \longrightarrow 00:05:03.386$  and they can bring them into

NOTE Confidence: 0.86009294

 $00:05:03.386 \longrightarrow 00:05:04.454$  tomorrow attention sooner.

NOTE Confidence: 0.83171993

 $00:05:06.620 \longrightarrow 00:05:08.772$  So that brings us kind of the next

NOTE Confidence: 0.83171993

 $00:05:08.772 \longrightarrow 00:05:10.833$  question is what should it when should

NOTE Confidence: 0.83171993

00:05:10.833 --> 00:05:12.888 a child see a pediatric urologist

NOTE Confidence: 0.83171993

 $00{:}05{:}12.888 \longrightarrow 00{:}05{:}15.120$  versus their pediatrician? So we

NOTE Confidence: 0.83171993

 $00:05:15.120 \longrightarrow 00:05:16.388$  had pediatric urologists are

NOTE Confidence: 0.83171993

 $00{:}05{:}16.388 \dashrightarrow 00{:}05{:}18.290$  specialists in the field and were

NOTE Confidence: 0.83171993

 $00:05:18.346 \longrightarrow 00:05:20.031$  usually brought into the patients

NOTE Confidence: 0.83171993

00:05:20.031 --> 00:05:22.084 care team upon identification of an

NOTE Confidence: 0.83171993

 $00:05:22.084 \longrightarrow 00:05:23.619$  issue that's specific to urology,

NOTE Confidence: 0.83171993

 $00:05:23.620 \longrightarrow 00:05:25.630$  we see patients who have congenital

NOTE Confidence: 0.83171993

 $00:05:25.630 \longrightarrow 00:05:26.970$  abnormalities that are usually

NOTE Confidence: 0.83171993

00:05:27.029 --> 00:05:28.859 identified before birth or at birth,

NOTE Confidence: 0.83171993

 $00:05:28.860 \longrightarrow 00:05:31.009$  and patients offering are referred to us

 $00:05:31.009 \longrightarrow 00:05:33.598$  at that time by their obstetrician or

NOTE Confidence: 0.83171993

 $00{:}05{:}33.598 \dashrightarrow 00{:}05{:}35.598$  their maternal fetal medicine doctor.

NOTE Confidence: 0.83171993

 $00{:}05{:}35.600 \dashrightarrow 00{:}05{:}37.175$  In instances where the pediatrician

NOTE Confidence: 0.83171993

 $00:05:37.175 \longrightarrow 00:05:39.080$  identifies a new or developmental issue,

NOTE Confidence: 0.83171993

 $00{:}05{:}39.080 \dashrightarrow 00{:}05{:}40.976$  such as an undescended test is or

NOTE Confidence: 0.83171993

 $00:05:40.976 \longrightarrow 00:05:42.240$  recurrent urinary tract infections,

NOTE Confidence: 0.83171993

 $00:05:42.240 \longrightarrow 00:05:44.130$  they typically refer to us for a

NOTE Confidence: 0.83171993

 $00:05:44.130 \longrightarrow 00:05:45.672$  management and then we collaborate

NOTE Confidence: 0.83171993

 $00{:}05{:}45.672 \dashrightarrow 00{:}05{:}47.362$  with pediatricians in their families

NOTE Confidence: 0.83171993

00:05:47.362 --> 00:05:49.752 to manage bed wedding or to help

NOTE Confidence: 0.83171993

 $00{:}05{:}49.752 \dashrightarrow 00{:}05{:}51.076$  children through potty training.

NOTE Confidence: 0.83171993

00:05:51.080 --> 00:05:52.154 In some circumstances,

NOTE Confidence: 0.83171993

00:05:52.154 --> 00:05:54.302 I would tell families never to

NOTE Confidence: 0.83171993

 $00:05:54.302 \longrightarrow 00:05:55.817$  hesitate to reach out to us.

NOTE Confidence: 0.83171993

 $00:05:55.820 \longrightarrow 00:05:57.732$  We have a fantastic team and our nurses

 $00:05:57.732 \longrightarrow 00:05:59.346$  in the pediatric urology Department

NOTE Confidence: 0.83171993

 $00{:}05{:}59.346 \dashrightarrow 00{:}06{:}01.500$  here at the Yale Children's Hospital

NOTE Confidence: 0.83171993

 $00:06:01.500 \longrightarrow 00:06:03.280$  are really adept at discussing

NOTE Confidence: 0.83171993

 $00:06:03.280 \longrightarrow 00:06:04.985$  issues or concerns with parents,

NOTE Confidence: 0.8317199300:06:04.990 --> 00:06:05.610 so it.

NOTE Confidence: 0.83171993

 $00:06:05.610 \longrightarrow 00:06:07.470$  Something that they're not sure if

NOTE Confidence: 0.83171993

 $00:06:07.470 \longrightarrow 00:06:09.497$  they should bring to our attention.

NOTE Confidence: 0.83171993

 $00{:}06{:}09.500 \dashrightarrow 00{:}06{:}11.035$  That's an excellent resource to

NOTE Confidence: 0.83171993

00:06:11.035 --> 00:06:13.164 reach out and see if we should

NOTE Confidence: 0.83171993

 $00:06:13.164 \longrightarrow 00:06:14.760$  be involved in the care of

NOTE Confidence: 0.8502837

 $00:06:14.760 \longrightarrow 00:06:16.220$  their child so they don't

NOTE Confidence: 0.8502837

00:06:16.220 --> 00:06:17.388 necessarily need referral from

NOTE Confidence: 0.8502837

 $00:06:17.388 \longrightarrow 00:06:19.140$  the pediatrician to see you know

NOTE Confidence: 0.8502837

 $00{:}06{:}19.140 \dashrightarrow 00{:}06{:}20.600$  some. Depending on their insurance,

NOTE Confidence: 0.8502837

 $00:06:20.600 \longrightarrow 00:06:22.226$  some families will need a referral

NOTE Confidence: 0.8502837

 $00:06:22.226 \longrightarrow 00:06:24.100$  to be seen by a specialist,

 $00:06:24.100 \longrightarrow 00:06:25.858$  and some patients can self refer.

NOTE Confidence: 0.8502837

 $00{:}06{:}25.860 \dashrightarrow 00{:}06{:}27.315$  We're always happy to help

NOTE Confidence: 0.8502837

00:06:27.315 --> 00:06:28.188 families establish Karen,

NOTE Confidence: 0.8502837

 $00:06:28.190 \longrightarrow 00:06:29.650$  navigate any of the insurance

NOTE Confidence: 0.8502837

 $00:06:29.650 \longrightarrow 00:06:31.110$  concerns you know you mentioned.

NOTE Confidence: 0.8502837

 $00:06:31.110 \longrightarrow 00:06:32.278$  Testicular cancer is going

NOTE Confidence: 0.8502837

 $00:06:32.278 \longrightarrow 00:06:33.738$  to ask you about that,

NOTE Confidence: 0.8502837

00:06:33.740 --> 00:06:35.506 'cause that's that's pretty deadly, right?

NOTE Confidence: 0.8502837

 $00:06:35.506 \longrightarrow 00:06:36.730$  Because there's something almost

NOTE Confidence: 0.8502837

 $00{:}06{:}36.730 \dashrightarrow 00{:}06{:}38.260$  like male breast cancer were.

NOTE Confidence: 0.8502837

00:06:38.260 --> 00:06:40.372 They really may not detect it

NOTE Confidence: 0.8502837

 $00:06:40.372 \longrightarrow 00:06:43.040$  till it's too late, right? Well,

NOTE Confidence: 0.84838676

 $00{:}06{:}43.040 \dashrightarrow 00{:}06{:}44.834$  the good news in testicular cancer

NOTE Confidence: 0.84838676

 $00:06:44.834 \longrightarrow 00:06:46.814$  is that the outcomes are incredibly

NOTE Confidence: 0.84838676

 $00:06:46.814 \longrightarrow 00:06:48.998$  positive and the outcomes in children

00:06:48.998 --> 00:06:50.478 in prepubertal children especially

NOTE Confidence: 0.84838676

 $00{:}06{:}50.478 \dashrightarrow 00{:}06{:}52.554$  are even better than a dult men.

NOTE Confidence: 0.84838676

 $00:06:52.560 \longrightarrow 00:06:55.280$  So if we think of a young baby,

NOTE Confidence: 0.84838676

 $00:06:55.280 \longrightarrow 00:06:57.824$  say a 2 year old who develops a

NOTE Confidence: 0.84838676

00:06:57.824 --> 00:07:00.268 yolk SAC tumor, which is a type

NOTE Confidence: 0.84838676

 $00{:}07{:}00.268 \dashrightarrow 00{:}07{:}02.760$  of germ cell tumor of the test is,

NOTE Confidence: 0.84838676

 $00:07:02.760 \longrightarrow 00:07:03.780$  the success rates,

NOTE Confidence: 0.84838676

 $00:07:03.780 \longrightarrow 00:07:05.480$  and overall survival rates are

NOTE Confidence: 0.84838676

 $00:07:05.480 \longrightarrow 00:07:07.520$  almost 100% are these are these

NOTE Confidence: 0.84838676

 $00:07:07.520 \longrightarrow 00:07:08.880$  conditions and we'll get

NOTE Confidence: 0.84838676

00:07:08.880 --> 00:07:10.240 into symptoms later on.

NOTE Confidence: 0.84838676

 $00:07:10.240 \longrightarrow 00:07:13.300$  But can a parent tell some of these things?

NOTE Confidence: 0.84838676

 $00:07:13.300 \longrightarrow 00:07:15.025$  Or is this something that

NOTE Confidence: 0.84838676

 $00:07:15.025 \longrightarrow 00:07:16.750$  really the doctor has to?

NOTE Confidence: 0.84838676

 $00:07:16.750 \longrightarrow 00:07:18.700$  Diagnosing and notice in a regular

NOTE Confidence: 0.84838676

 $00:07:18.700 \longrightarrow 00:07:20.770$  check of a child and infant,

 $00:07:20.770 \longrightarrow 00:07:21.778$  especially, you can't.

NOTE Confidence: 0.84838676

 $00:07:21.778 \longrightarrow 00:07:23.452$  You know, communicate a problem.

NOTE Confidence: 0.84838676

 $00:07:23.452 \longrightarrow 00:07:24.120$  That's an

NOTE Confidence: 0.8494544

 $00:07:24.120 \longrightarrow 00:07:24.830$  excellent question,

NOTE Confidence: 0.8494544

 $00:07:24.830 \dashrightarrow 00:07:26.605$  because children really can't tell

NOTE Confidence: 0.8494544

00:07:26.605 --> 00:07:28.808 you that it hurts to your inner.

NOTE Confidence: 0.8494544

 $00:07:28.810 \longrightarrow 00:07:30.736$  Do they notice something different in

NOTE Confidence: 0.8494544

00:07:30.736 --> 00:07:32.830 their scrotum or their abdomen hurts?

NOTE Confidence: 0.8494544

 $00:07:32.830 \longrightarrow 00:07:35.133$  So parents are usually the best at

NOTE Confidence: 0.8494544

 $00:07:35.133 \longrightarrow 00:07:36.509$  identifying changes because they're

NOTE Confidence: 0.8494544

 $00:07:36.509 \longrightarrow 00:07:38.189$  with their children every day,

NOTE Confidence: 0.8494544

 $00:07:38.190 \longrightarrow 00:07:40.200$  and they're very attuned to them.

NOTE Confidence: 0.8494544

 $00:07:40.200 \longrightarrow 00:07:42.447$  I would say when patients or parents

NOTE Confidence: 0.8494544

00:07:42.447 --> 00:07:43.818 change their children's diapers

NOTE Confidence: 0.8494544

 $00:07:43.818 \longrightarrow 00:07:45.558$  is oftentimes when they notice,

00:07:45.560 --> 00:07:47.275 for example, a testicular tumor

NOTE Confidence: 0.8494544

 $00:07:47.275 \longrightarrow 00:07:48.647$  because they realize that.

NOTE Confidence: 0.8494544

 $00:07:48.650 \longrightarrow 00:07:50.554$  The one side of the scrotum is

NOTE Confidence: 0.8494544

 $00:07:50.554 \longrightarrow 00:07:52.170$  getting larger or feels harder,

NOTE Confidence: 0.8494544

 $00:07:52.170 \longrightarrow 00:07:53.766$  and usually it's the parents who

NOTE Confidence: 0.8494544

 $00:07:53.766 \longrightarrow 00:07:55.200$  brings this to their pediatricians

NOTE Confidence: 0.8494544

 $00:07:55.200 \longrightarrow 00:07:57.440$  attention and then who reached out to

NOTE Confidence: 0.84137106

 $00:07:57.440 \longrightarrow 00:07:59.484$  us and involve us in the care.

NOTE Confidence: 0.84137106

 $00:07:59.490 \longrightarrow 00:08:01.236$  You know? I mean there were

NOTE Confidence: 0.84137106

 $00:08:01.236 \longrightarrow 00:08:03.010$  three cases of blood in stool.

NOTE Confidence: 0.84137106

 $00:08:03.010 \longrightarrow 00:08:04.768$  That type of thing we want

NOTE Confidence: 0.84137106

 $00:08:04.768 \longrightarrow 00:08:05.940$  babies is that common.

NOTE Confidence: 0.84137106

 $00:08:05.940 \longrightarrow 00:08:07.886$  We do see we see less babies

NOTE Confidence: 0.84137106

 $00:08:07.886 \longrightarrow 00:08:09.450$  with blood in the stool,

NOTE Confidence: 0.84137106

 $00:08:09.450 \longrightarrow 00:08:10.728$  but there are causes in children

NOTE Confidence: 0.84137106

 $00:08:10.728 \longrightarrow 00:08:12.569$  and it can be food intolerance or

 $00:08:12.569 \longrightarrow 00:08:14.124$  allergies or sometimes things more

NOTE Confidence: 0.84137106

 $00{:}08{:}14.124 \dashrightarrow 00{:}08{:}15.486$  serious like intus susception that

NOTE Confidence: 0.84137106

00:08:15.486 --> 00:08:17.206 requires urgent treatment and that's

NOTE Confidence: 0.84137106

 $00:08:17.206 \longrightarrow 00:08:19.458$  where we involve our colleagues in.

NOTE Confidence: 0.84137106

00:08:19.458 --> 00:08:21.082 Pediatric general surgery and

NOTE Confidence: 0.84137106

 $00:08:21.082 \longrightarrow 00:08:22.300$  pediatric gastro enterology.

NOTE Confidence: 0.84137106

 $00:08:22.300 \longrightarrow 00:08:24.652$  One of the great things about

NOTE Confidence: 0.84137106

 $00{:}08{:}24.652 \dashrightarrow 00{:}08{:}26.733$  our specialty center here in

NOTE Confidence: 0.84137106

 $00:08:26.733 \longrightarrow 00:08:29.343$  Greenwich is that we have over

NOTE Confidence: 0.84137106

 $00{:}08{:}29.343 \dashrightarrow 00{:}08{:}31.216$ 10 pediatric subspecialties so

NOTE Confidence: 0.84137106

 $00{:}08{:}31.216 \dashrightarrow 00{:}08{:}34.168$  we have a pediatric surgeon and

NOTE Confidence: 0.84137106

 $00:08:34.168 \longrightarrow 00:08:35.644$  three pediatric gastroenterologist

NOTE Confidence: 0.84137106

 $00:08:35.650 \longrightarrow 00:08:38.320$  who come to our office here.

NOTE Confidence: 0.84137106

 $00:08:38.320 \longrightarrow 00:08:40.096$  We have pulmonologist and

NOTE Confidence: 0.84137106

 $00:08:40.096 \longrightarrow 00:08:41.428$  cardiologist and allergist,

 $00:08:41.430 \longrightarrow 00:08:43.210$  an endocrinologist and hematologists

NOTE Confidence: 0.84137106

00:08:43.210 --> 00:08:44.990 and oncologists an orthopedist,

NOTE Confidence: 0.84137106

00:08:44.990 --> 00:08:48.105 and I'm I'm missing some for sure,

NOTE Confidence: 0.84137106

 $00:08:48.110 \longrightarrow 00:08:50.252$  including E&T So the nice thing about

NOTE Confidence: 0.84137106

 $00:08:50.252 \longrightarrow 00:08:52.191$  working in this environment is that

NOTE Confidence: 0.84137106

 $00{:}08{:}52.191 \dashrightarrow 00{:}08{:}54.770$  across the Hall is somebody who can help.

NOTE Confidence: 0.84137106

00:08:54.770 --> 00:08:57.098 So if I'm seeing a patient and say,

NOTE Confidence: 0.84137106

 $00:08:57.100 \longrightarrow 00:08:57.684$  you know,

NOTE Confidence: 0.84137106

 $00{:}08{:}57.684 \to 00{:}09{:}00.020$  I think this is a general surgery concern,

NOTE Confidence: 0.84137106

00:09:00.020 --> 00:09:02.648 or I need to speak with the general surgeon,

NOTE Confidence: 0.84137106

 $00{:}09{:}02.650 \dashrightarrow 00{:}09{:}04.694$  I can reach out to Doctor Solomon,

NOTE Confidence: 0.84137106

 $00:09:04.700 \longrightarrow 00:09:06.844$  who can be right there and available to

NOTE Confidence: 0.84137106

00:09:06.844 --> 00:09:08.778 assess the patient and their family,

NOTE Confidence: 0.84137106

 $00:09:08.780 \longrightarrow 00:09:09.952$  which is really reassuring,

NOTE Confidence: 0.84137106

00:09:09.952 --> 00:09:10.538 I think,

NOTE Confidence: 0.8701389

 $00:09:10.540 \longrightarrow 00:09:11.704$  to families and pediatricians

 $00:09:11.704 \longrightarrow 00:09:13.159$  that we have that capability.

NOTE Confidence: 0.8701389

 $00{:}09{:}13.160 \dashrightarrow 00{:}09{:}14.620$  Alright, we're just getting started

NOTE Confidence: 0.8701389

00:09:14.620 --> 00:09:16.080 with doctor Doctor Sarah Lambert,

NOTE Confidence: 0.8701389

00:09:16.080 --> 00:09:17.272 pediatric urologist, Jel, medicine.

NOTE Confidence: 0.8701389

00:09:17.272 --> 00:09:18.166 We're talking about

NOTE Confidence: 0.8701389

00:09:18.166 --> 00:09:19.300 pediatric urology at Yale,

NOTE Confidence: 0.8701389

00:09:19.300 --> 00:09:20.532 New Haven Children's hospitals,

NOTE Confidence: 0.8701389

 $00:09:20.532 \longrightarrow 00:09:22.072$  Pediatric Specialty Center in Greenwich.

NOTE Confidence: 0.8701389

00:09:22.080 --> 00:09:23.970 They're located at 500 W

NOTE Confidence: 0.8701389

00:09:23.970 --> 00:09:25.860 Putnam Ave here in town.

NOTE Confidence: 0.8701389

 $00{:}09{:}25.860 \dashrightarrow 00{:}09{:}27.685$  This is spotlighted medicine and

NOTE Confidence: 0.8701389

00:09:27.685 --> 00:09:30.355 AM 14 ninety FM 105.5 WGCH WG

NOTE Confidence: 0.8701389

 $00{:}09{:}30.355 \dashrightarrow 00{:}09{:}32.285$ ch.com Anywhere I'm Tony Savino.

NOTE Confidence: 0.8701389

 $00:09:32.290 \longrightarrow 00:09:35.587$  We'll be back with more after this.

NOTE Confidence: 0.8701389

 $00:09:35.590 \longrightarrow 00:09:36.360$  You make

00:09:36.360 --> 00:09:39.055 lots of important decisions for your family,

NOTE Confidence: 0.881725

00:09:39.060 --> 00:09:41.376 but when it comes to healthcare,

NOTE Confidence: 0.881725

00:09:41.380 --> 00:09:42.924 there's nothing more important

NOTE Confidence: 0.881725

 $00:09:42.924 \longrightarrow 00:09:45.242$  than the doctors that you choose.

NOTE Confidence: 0.881725

 $00:09:45.242 \longrightarrow 00:09:48.330$  So how do you make the right decision?

NOTE Confidence: 0.881725

 $00:09:48.330 \longrightarrow 00:09:49.356$  Here's a tip.

NOTE Confidence: 0.881725

 $00:09:49.356 \longrightarrow 00:09:51.750$  Check out the doctors credentials and make

NOTE Confidence: 0.881725

 $00:09:51.812 \longrightarrow 00:09:54.500$  sure they're from respected medical schools.

NOTE Confidence: 0.881725

 $00{:}09{:}54.500 \dashrightarrow 00{:}09{:}55.964$  And here's another tip.

NOTE Confidence: 0.881725

 $00{:}09{:}55.964 \dashrightarrow 00{:}09{:}59.032$  Look for a Doctor Who's affiliated with a

NOTE Confidence: 0.881725

 $00{:}09{:}59.032 \dashrightarrow 00{:}10{:}01.444$ truly fine hospital like Greenwich Hospital.

NOTE Confidence: 0.881725

00:10:01.450 --> 00:10:02.994 Greenwich Hospital is consistently

NOTE Confidence: 0.881725

 $00:10:02.994 \longrightarrow 00:10:05.385$  rated in the top 1% nationwide

NOTE Confidence: 0.881725

 $00:10:05.385 \longrightarrow 00:10:06.750$  for patient satisfaction.

NOTE Confidence: 0.881725

 $00:10:06.750 \longrightarrow 00:10:10.104$  It has a broad array of specialties

NOTE Confidence: 0.881725

 $00:10:10.104 \longrightarrow 00:10:12.288$  from excellent women services

 $00:10:12.288 \longrightarrow 00:10:15.018$  and breast care to Pediatrics,

NOTE Confidence: 0.881725

 $00:10:15.020 \longrightarrow 00:10:17.080$  orthopedics, extensive cancer care,

NOTE Confidence: 0.881725

 $00:10:17.080 \longrightarrow 00:10:18.625$  and much more.

NOTE Confidence: 0.881725

 $00:10:18.630 \longrightarrow 00:10:21.210$  Greenwich Hospital physicians meet the

NOTE Confidence: 0.881725

 $00:10:21.210 \longrightarrow 00:10:23.790$  highest standards for healthcare excellence,

NOTE Confidence: 0.881725

 $00:10:23.790 \longrightarrow 00:10:26.886$  for a referral to a Greenwich

NOTE Confidence: 0.881725

00:10:26.886 --> 00:10:27.918 Hospital physician,

NOTE Confidence: 0.881725

 $00:10:27.920 \longrightarrow 00:10:29.068$  called 2038633627,

NOTE Confidence: 0.881725

 $00:10:29.068 \longrightarrow 00:10:30.790$  that's 203-863-3627 Greenwich

NOTE Confidence: 0.881725

00:10:30.790 --> 00:10:33.660 Hospital for the quality care

NOTE Confidence: 0.881725

 $00:10:33.736 \longrightarrow 00:10:37.070$  you and your family deserve.

NOTE Confidence: 0.881725

 $00:10:37.070 \longrightarrow 00:10:37.460$  It's

NOTE Confidence: 0.8203145

 $00:10:37.460 \longrightarrow 00:10:40.439$  912 here on AM 14 Ninety FM 105.5 WGCH

NOTE Confidence: 0.8203145

 $00:10:40.439 \dashrightarrow 00:10:43.368$  NWG ch.com anywhere I'm Tony Savino.

NOTE Confidence: 0.8203145

 $00:10:43.370 \longrightarrow 00:10:45.367$  This is spotlight on medicine

00:10:45.367 --> 00:10:46.618 next weekend Spotlight.

NOTE Confidence: 0.8203145

 $00{:}10{:}46.618 \dashrightarrow 00{:}10{:}49.614$  We closed out the month of April

NOTE Confidence: 0.8203145

 $00:10:49.614 \longrightarrow 00:10:51.282$  with allergies versus COVID-19

NOTE Confidence: 0.8203145

00:10:51.282 --> 00:10:53.775 and my guest is family Internist

NOTE Confidence: 0.8203145

 $00:10:53.775 \longrightarrow 00:10:56.099$  and I believe one of the first

NOTE Confidence: 0.8203145

 $00{:}10{:}56.099 \dashrightarrow 00{:}10{:}58.314$  to get the Corona virus vaccine.

NOTE Confidence: 0.8203145

 $00:10:58.314 \longrightarrow 00:11:00.244$  Doctor Pallom with Northeast Medical

NOTE Confidence: 0.8203145

00:11:00.244 --> 00:11:02.702 Group that's next Thursday, April 29th.

NOTE Confidence: 0.8203145

 $00{:}11{:}02.702 \dashrightarrow 00{:}11{:}04.732$  Spotlight in medicine here on

NOTE Confidence: 0.8203145

00:11:04.732 --> 00:11:07.080 AM 14 Ninety FM 105.5 WGCH.

NOTE Confidence: 0.8203145

 $00{:}11{:}07.080 \dashrightarrow 00{:}11{:}09.270$  And WGH com anywhere topic this

NOTE Confidence: 0.8203145

 $00:11:09.270 \longrightarrow 00:11:10.365$  morning on Spotlight.

NOTE Confidence: 0.8203145

 $00{:}11{:}10.370 \longrightarrow 00{:}11{:}11.946$  Pediatric urology at Yale,

NOTE Confidence: 0.8203145

00:11:11.946 --> 00:11:13.522 New Haven Children's Hospitals

NOTE Confidence: 0.8203145

00:11:13.522 --> 00:11:14.673 Pediatric Specialty Center

NOTE Confidence: 0.8203145

00:11:14.673 --> 00:11:16.208 in Greenwich my guest doctor.

 $00:11:16.210 \longrightarrow 00:11:17.670$  Sarah Lambert pediatric urologist

NOTE Confidence: 0.8203145

 $00:11:17.670 \longrightarrow 00:11:19.860$  at Yale Medicine and Doctor Lambert.

NOTE Confidence: 0.8203145

00:11:19.860 --> 00:11:21.804 Let's talk about signs and symptoms

NOTE Confidence: 0.8203145

 $00:11:21.804 \longrightarrow 00:11:24.600$  commonly seen in a urinary system disorder.

NOTE Confidence: 0.8203145

 $00:11:24.600 \longrightarrow 00:11:25.698$  What are they?

NOTE Confidence: 0.85908484

00:11:27.060 --> 00:11:30.077 So we see various signs and symptoms,

NOTE Confidence: 0.85908484

 $00:11:30.080 \longrightarrow 00:11:32.796$  but one of the most common is

NOTE Confidence: 0.85908484

 $00{:}11{:}32.796 \dashrightarrow 00{:}11{:}34.840$  recurrent urinary tract infections.

NOTE Confidence: 0.85908484

00:11:34.840 --> 00:11:37.857 Kids often present with pain with urination,

NOTE Confidence: 0.85908484

00:11:37.860 --> 00:11:39.156 urinary frequency, urgency,

NOTE Confidence: 0.85908484

 $00:11:39.156 \longrightarrow 00:11:41.316$  and sometimes accidents as well.

NOTE Confidence: 0.85908484

 $00:11:41.320 \longrightarrow 00:11:43.480$  Some of these children present

NOTE Confidence: 0.85908484

 $00:11:43.480 \longrightarrow 00:11:45.640$  with fever or without fever.

NOTE Confidence: 0.85908484

 $00:11:45.640 \longrightarrow 00:11:49.420$  Some children have blood in their urine.

NOTE Confidence: 0.85908484

 $00:11:49.420 \longrightarrow 00:11:50.772$  And others have issues

 $00:11:50.772 \longrightarrow 00:11:52.124$  with their urinary stream.

NOTE Confidence: 0.85908484

 $00:11:52.130 \longrightarrow 00:11:54.128$  Some feel like they have incomplete

NOTE Confidence: 0.85908484

00:11:54.128 --> 00:11:55.460 emptying if the infection

NOTE Confidence: 0.85908484

 $00:11:55.515 \longrightarrow 00:11:56.879$  extends to their kidneys,

NOTE Confidence: 0.85908484

00:11:56.880 --> 00:11:58.570 they can have side pain,

NOTE Confidence: 0.85908484

00:11:58.570 --> 00:11:59.930 flank pain or vomiting.

NOTE Confidence: 0.77298546

00:12:00.790 --> 00:12:03.835 Now you mentioned bed wetting up what,

NOTE Confidence: 0.77298546

00:12:03.840 --> 00:12:06.468 what? What is that? That's something

NOTE Confidence: 0.77298546

 $00{:}12{:}06.468 \dashrightarrow 00{:}12{:}08.640$  that's a physical condition then.

NOTE Confidence: 0.8524064

 $00:12:09.310 \longrightarrow 00:12:12.268$  It is so we see a lot of children with what

NOTE Confidence: 0.8524064

 $00:12:12.268 \longrightarrow 00:12:14.977$  we call nocturnal enuresis or bed wedding.

NOTE Confidence: 0.8524064

 $00:12:14.980 \longrightarrow 00:12:17.815$  It can run in families and it's quite common.

NOTE Confidence: 0.8524064

00:12:17.820 --> 00:12:20.081 Approximately 20% of 6 year olds have

NOTE Confidence: 0.8524064

 $00{:}12{:}20.081 \dashrightarrow 00{:}12{:}22.575$  bed wetting so I like to tell these

NOTE Confidence: 0.8524064

 $00:12:22.575 \longrightarrow 00:12:25.050$  families when they come in to see us

NOTE Confidence: 0.8524064

 $00:12:25.050 \longrightarrow 00:12:26.952$  that there's other children in their

 $00{:}12{:}26.952 \to 00{:}12{:}28.840$  kids classes who have similar symptoms.

NOTE Confidence: 0.8524064

00:12:28.840 --> 00:12:30.520 Because again, this isn't something

NOTE Confidence: 0.8524064

 $00:12:30.520 \longrightarrow 00:12:32.534$  that's always discussed in some children

NOTE Confidence: 0.8524064

 $00:12:32.534 \longrightarrow 00:12:34.508$  feel badly or or unhappy about this.

NOTE Confidence: 0.8524064

 $00{:}12{:}34.510 \dashrightarrow 00{:}12{:}37.214$  So to normalize the condition I think is

NOTE Confidence: 0.8524064

 $00:12:37.214 \longrightarrow 00:12:39.736$  very helpful to the child and the family.

NOTE Confidence: 0.8524064

 $00:12:39.740 \longrightarrow 00:12:41.670$  And the good news is,

NOTE Confidence: 0.8524064

 $00:12:41.670 \longrightarrow 00:12:42.998$  many children with nocturnal

NOTE Confidence: 0.8524064

 $00{:}12{:}42.998 \dashrightarrow 00{:}12{:}45.556$  enures is are able to be dry with

NOTE Confidence: 0.8524064

00:12:45.556 --> 00:12:47.068 just behavioral intervention.

NOTE Confidence: 0.8524064

 $00:12:47.070 \longrightarrow 00:12:49.224$  So we can talk about shifting

NOTE Confidence: 0.8524064

00:12:49.224 --> 00:12:51.320 their fluids to the morning,

NOTE Confidence: 0.8524064

 $00:12:51.320 \longrightarrow 00:12:52.478$  treating their Constipation,

NOTE Confidence: 0.8524064

00:12:52.478 --> 00:12:55.180 limiting their fluids 2 hours before bed,

NOTE Confidence: 0.8524064

 $00:12:55.180 \longrightarrow 00:12:57.110$  trying to avoid before bed

 $00:12:57.110 \longrightarrow 00:12:59.040$  and regularly during the day.

NOTE Confidence: 0.8524064

 $00:12:59.040 \longrightarrow 00:13:00.970$  And oftentimes with these interventions,

NOTE Confidence: 0.8524064

 $00:13:00.970 \longrightarrow 00:13:03.651$  children are dry and don't need any

NOTE Confidence: 0.8524064

 $00{:}13{:}03.651 \dashrightarrow 00{:}13{:}06.001$  medication and don't have to worry

NOTE Confidence: 0.8524064

00:13:06.001 --> 00:13:07.881 about about being wet overnight

NOTE Confidence: 0.8524064

00:13:07.881 --> 00:13:10.347 on school trips or sleepaway camp.

NOTE Confidence: 0.8524064

 $00:13:10.350 \longrightarrow 00:13:11.690$  Or other activities that they

NOTE Confidence: 0.8524064

 $00:13:11.690 \longrightarrow 00:13:12.494$  want to participate.

NOTE Confidence: 0.8524064

00:13:12.500 --> 00:13:12.770 Yeah,

NOTE Confidence: 0.8529121

 $00:13:12.770 \longrightarrow 00:13:14.312$  I mean that that that we're

NOTE Confidence: 0.8529121

00:13:14.312 --> 00:13:15.672 talking about things that maybe

NOTE Confidence: 0.8529121

 $00:13:15.672 \longrightarrow 00:13:17.334$  people are a fraid to come forward.

NOTE Confidence: 0.8529121

 $00:13:17.340 \longrightarrow 00:13:18.690$  That that would be one,

NOTE Confidence: 0.8529121

00:13:18.690 --> 00:13:19.440 wouldn't it exactly.

NOTE Confidence: 0.8529121

 $00:13:19.440 \longrightarrow 00:13:21.528$  So a lot of children don't want to

NOTE Confidence: 0.8529121

 $00{:}13{:}21.528 \dashrightarrow 00{:}13{:}23.256$  discuss that or or feeling embarrassed,

 $00:13:23.260 \longrightarrow 00:13:24.926$  and it can be difficult for families

NOTE Confidence: 0.8529121

 $00{:}13{:}24.926 \dashrightarrow 00{:}13{:}26.490$  if there's wet sheets overnight.

NOTE Confidence: 0.8529121

 $00:13:26.490 \longrightarrow 00:13:28.074$  Or you know that require extra

NOTE Confidence: 0.8529121

 $00:13:28.074 \longrightarrow 00:13:29.452$  laundering and longer time in

NOTE Confidence: 0.8529121

 $00:13:29.452 \longrightarrow 00:13:30.528$  the morning before school,

NOTE Confidence: 0.8529121

 $00:13:30.530 \longrightarrow 00:13:32.138$  so it can really be stressful.

NOTE Confidence: 0.8529121

00:13:32.140 --> 00:13:33.480 Although it's not life threatening,

NOTE Confidence: 0.8529121

 $00:13:33.480 \longrightarrow 00:13:35.279$  it really impacts the quality of life

NOTE Confidence: 0.8529121

 $00:13:35.279 \longrightarrow 00:13:36.978$  for these children and their families.

NOTE Confidence: 0.8529121

 $00:13:36.980 \longrightarrow 00:13:38.330$  But what do you tell

NOTE Confidence: 0.8529121

 $00:13:38.330 \longrightarrow 00:13:39.422$  parents though? I mean,

NOTE Confidence: 0.8529121

 $00:13:39.422 \longrightarrow 00:13:41.390$  you can't go yelling at the kids.

NOTE Confidence: 0.8529121

00:13:41.390 --> 00:13:43.700 You're right, I mean, how do you?

NOTE Confidence: 0.8529121

00:13:43.700 --> 00:13:45.680 How do you? How do you

NOTE Confidence: 0.8523019

 $00:13:45.680 \longrightarrow 00:13:48.320$  advise them on how to deal with it?

 $00:13:48.320 \longrightarrow 00:13:49.970$  Of course, most definitely not.

NOTE Confidence: 0.8523019

 $00:13:49.970 \longrightarrow 00:13:51.290$  So children are not

NOTE Confidence: 0.8523019

00:13:51.290 --> 00:13:52.280 deliberately wedding overnight.

NOTE Confidence: 0.8523019

 $00:13:52.280 \longrightarrow 00:13:53.920$  This is a developmental connection

NOTE Confidence: 0.8523019

00:13:53.920 --> 00:13:55.910 between their bladder and their brain,

NOTE Confidence: 0.8523019

00:13:55.910 --> 00:13:57.605 so our interventions are behavioral

NOTE Confidence: 0.8523019

 $00:13:57.605 \longrightarrow 00:13:59.300$  in nature to maximize their

NOTE Confidence: 0.8523019

 $00:13:59.353 \longrightarrow 00:14:00.858$  ability to be dry overnight.

NOTE Confidence: 0.8523019

 $00:14:00.860 \longrightarrow 00:14:04.020$  We also have the bed wetting alarm which

NOTE Confidence: 0.8523019

 $00:14:04.020 \longrightarrow 00:14:06.745$  connects the sensation of needing to avoid

NOTE Confidence: 0.8523019

 $00{:}14{:}06.745 \dashrightarrow 00{:}14{:}09.879$  and the need to wake up and this can.

NOTE Confidence: 0.8523019

 $00:14:09.880 \longrightarrow 00:14:11.560$  Secure bed wetting in about 80%

NOTE Confidence: 0.8523019

00:14:11.560 --> 00:14:12.990 of patients again without any

NOTE Confidence: 0.8523019

 $00:14:12.990 \longrightarrow 00:14:14.134$  intervention or medication which

NOTE Confidence: 0.8523019

 $00:14:14.134 \longrightarrow 00:14:15.479$  is nice and some children.

NOTE Confidence: 0.8523019

 $00:14:15.480 \longrightarrow 00:14:17.321$  We do need to use medication and

 $00:14:17.321 \longrightarrow 00:14:19.399$  it's nice to have a large toolbox.

NOTE Confidence: 0.8523019

 $00{:}14{:}19.400 \dashrightarrow 00{:}14{:}21.220$  I tell parents you always want to

NOTE Confidence: 0.8523019

 $00:14:21.220 \longrightarrow 00:14:23.209$  have lots of tools in your toolbox

NOTE Confidence: 0.8523019

 $00:14:23.209 \longrightarrow 00:14:25.280$  and hopefully not need all of them.

NOTE Confidence: 0.8523019

 $00:14:25.280 \longrightarrow 00:14:27.416$  So the good news is that we do

NOTE Confidence: 0.8523019

 $00:14:27.416 \longrightarrow 00:14:29.490$  have lots of tools in our toolbox

NOTE Confidence: 0.8523019

 $00:14:29.490 \longrightarrow 00:14:31.160$  to treat not turn it on

NOTE Confidence: 0.850845

 $00:14:31.160 \longrightarrow 00:14:32.560$  your resource for bed wetting.

NOTE Confidence: 0.850845

 $00:14:32.560 \longrightarrow 00:14:34.142$  A lot of the issues we've talked

NOTE Confidence: 0.850845

 $00:14:34.142 \longrightarrow 00:14:35.629$  about here are these specific

NOTE Confidence: 0.850845

00:14:35.629 --> 00:14:36.757 to children necessarily.

NOTE Confidence: 0.850845

 $00:14:36.760 \longrightarrow 00:14:38.720$  Do they grow out of the quote,

NOTE Confidence: 0.850845

 $00:14:38.720 \longrightarrow 00:14:40.729$  unquote, grow out of them as they?

NOTE Confidence: 0.850845

 $00{:}14{:}40.730 --> 00{:}14{:}42.050$  As they grow older,

NOTE Confidence: 0.850845

 $00:14:42.050 \longrightarrow 00:14:44.240$  kind of take us through that if

 $00{:}14{:}44.240 \dashrightarrow 00{:}14{:}46.226$  you could. Most children will outgrow

NOTE Confidence: 0.8296585

 $00{:}14{:}46.226 \dashrightarrow 00{:}14{:}47.897$  nocturnal enuresis and often times children

NOTE Confidence: 0.8296585

 $00:14:47.897 \longrightarrow 00:14:49.976$  will outgrow on their own daytime wedding.

NOTE Confidence: 0.8296585

 $00{:}14{:}49.980 \dashrightarrow 00{:}14{:}52.073$  Potty training is very different for each

NOTE Confidence: 0.8296585

 $00:14:52.073 \longrightarrow 00:14:54.058$  child and some children potty trained

NOTE Confidence: 0.8296585

 $00{:}14{:}54.058 \dashrightarrow 00{:}14{:}56.110$  very quickly and other children have

NOTE Confidence: 0.8296585

 $00:14:56.110 \longrightarrow 00:14:58.277$  some relapses or take a longer course.

NOTE Confidence: 0.8296585

 $00:14:58.280 \longrightarrow 00:15:00.541$  It's important to realize that most children

NOTE Confidence: 0.8296585

00:15:00.541 --> 00:15:02.737 going through this process is very normal,

NOTE Confidence: 0.8296585

 $00:15:02.740 \longrightarrow 00:15:05.464$  even though it can be trying

NOTE Confidence: 0.8296585

 $00:15:05.464 \longrightarrow 00:15:07.280$  or frustrating to parents.

NOTE Confidence: 0.8296585

 $00:15:07.280 \longrightarrow 00:15:08.816$  It is important to also realize

NOTE Confidence: 0.8296585

 $00{:}15{:}08.816 \dashrightarrow 00{:}15{:}10.527$  that there are some children who

NOTE Confidence: 0.8296585

 $00:15:10.527 \longrightarrow 00:15:12.107$  are having difficulty potty training

NOTE Confidence: 0.8296585

00:15:12.107 --> 00:15:14.170 because of an underlying condition,

NOTE Confidence: 0.8296585

 $00{:}15{:}14.170 \dashrightarrow 00{:}15{:}16.618$  so it's our job is pediatric urologist to

 $00:15:16.618 \longrightarrow 00:15:18.513$  recognize children who are going through

NOTE Confidence: 0.8296585

 $00{:}15{:}18.513 \to 00{:}15{:}20.349$  the normal struggles of potty training

NOTE Confidence: 0.8296585

 $00{:}15{:}20.408 \dashrightarrow 00{:}15{:}22.298$  versus children who really need help.

NOTE Confidence: 0.8296585

 $00:15:22.300 \longrightarrow 00:15:24.876$  So some children have an undiagnosed tethered

NOTE Confidence: 0.8296585

 $00:15:24.876 \longrightarrow 00:15:26.974$  spinal cord which impacts the ability

NOTE Confidence: 0.8296585

 $00:15:26.974 \longrightarrow 00:15:29.514$  of their bladder to empty and for them

NOTE Confidence: 0.8296585

 $00:15:29.514 \longrightarrow 00:15:32.010$  to control their bladder or to store urine.

NOTE Confidence: 0.8296585

 $00:15:32.010 \longrightarrow 00:15:33.685$  Other children can have structural

NOTE Confidence: 0.8296585

00:15:33.685 --> 00:15:35.360 abnormalities of the urinary tract,

NOTE Confidence: 0.8296585

 $00:15:35.360 \longrightarrow 00:15:37.424$  where a kidney instead of draining

NOTE Confidence: 0.8296585

00:15:37.424 --> 00:15:39.497 normally into the bladder is draining

NOTE Confidence: 0.8296585

00:15:39.497 --> 00:15:41.723 into the urethra or into the prostate,

NOTE Confidence: 0.8296585

 $00{:}15{:}41.730 \dashrightarrow 00{:}15{:}43.405$  and is causing difficulties with

NOTE Confidence: 0.8296585

 $00:15:43.405 \longrightarrow 00:15:45.080$  urinary tract infections or continents.

NOTE Confidence: 0.8296585

00:15:45.080 --> 00:15:45.752 Other children,

 $00:15:45.752 \longrightarrow 00:15:46.424$  especially boys,

NOTE Confidence: 0.8296585

 $00:15:46.424 \longrightarrow 00:15:48.760$  can have a blockage within the \*\*\*\*\*

NOTE Confidence: 0.8296585

 $00:15:48.760 \longrightarrow 00:15:51.105$  that makes it difficult to potty train,

NOTE Confidence: 0.8296585

 $00:15:51.110 \longrightarrow 00:15:53.120$  and that's called posterior regional valves,

NOTE Confidence: 0.8296585

 $00:15:53.120 \longrightarrow 00:15:55.124$  which is dangerous to their bladder

NOTE Confidence: 0.8296585

 $00:15:55.124 \longrightarrow 00:15:56.126$  and their kidneys.

NOTE Confidence: 0.8296585

 $00{:}15{:}56.130 \dashrightarrow 00{:}15{:}58.475$  Some of those boys can go into

NOTE Confidence: 0.8296585

00:15:58.475 --> 00:15:59.145 kidney failure,

NOTE Confidence: 0.8296585

 $00{:}15{:}59.150 \dashrightarrow 00{:}16{:}00.865$  so it's really important that

NOTE Confidence: 0.8296585

 $00{:}16{:}00.865 \dashrightarrow 00{:}16{:}02.237$  we can differentiate children.

NOTE Confidence: 0.8296585

 $00{:}16{:}02.240 \dashrightarrow 00{:}16{:}04.085$  With normal potty training from

NOTE Confidence: 0.8296585

 $00:16:04.085 \longrightarrow 00:16:05.930$  children who have potentially a,

NOTE Confidence: 0.8296585

 $00:16:05.930 \longrightarrow 00:16:08.138$  you know a serious underlying condition,

NOTE Confidence: 0.8296585 00:16:08.140 --> 00:16:08.510 a NOTE Confidence: 0.85023445

 $00:16:08.510 \longrightarrow 00:16:11.830$  lot of the things we've talked about and.

NOTE Confidence: 0.85023445

00:16:11.830 --> 00:16:14.845 Seem seem to be boys, but what problems

 $00:16:14.845 \longrightarrow 00:16:17.960$  are in kind of a specific to girls?

NOTE Confidence: 0.8543655

 $00:16:18.960 \longrightarrow 00:16:20.104$  So specific to girls,

NOTE Confidence: 0.8543655

00:16:20.104 --> 00:16:22.293 girls have a higher risk of urinary

NOTE Confidence: 0.8543655

 $00:16:22.293 \longrightarrow 00:16:23.929$  tract infections than boys.

NOTE Confidence: 0.8543655

 $00:16:23.930 \longrightarrow 00:16:25.580$  Girls have a higher risk

NOTE Confidence: 0.8543655

 $00:16:25.580 \longrightarrow 00:16:26.900$  of vesicle ureteral reflux,

NOTE Confidence: 0.8543655

 $00:16:26.900 \longrightarrow 00:16:28.952$  which is where when the bladder

NOTE Confidence: 0.8543655

 $00:16:28.952 \longrightarrow 00:16:31.033$  empties some of the urine goes

NOTE Confidence: 0.8543655

 $00:16:31.033 \longrightarrow 00:16:33.287$  back up to the kidneys instead of

NOTE Confidence: 0.8543655

 $00:16:33.287 \longrightarrow 00:16:35.567$  all out into the diaper or into

NOTE Confidence: 0.8543655

 $00{:}16{:}35.567 \dashrightarrow 00{:}16{:}37.428$  the toilet and that can predispose

NOTE Confidence: 0.8543655

 $00:16:37.428 \longrightarrow 00:16:38.624$  children to kidney infections

NOTE Confidence: 0.8543655

 $00:16:38.624 \longrightarrow 00:16:40.810$  if they get a bladder infection.

NOTE Confidence: 0.8543655

 $00:16:40.810 \longrightarrow 00:16:43.450$  So those are more common conditions in girls.

NOTE Confidence: 0.8543655

00:16:43.450 --> 00:16:45.105 Girls can have abnormalities in

00:16:45.105 --> 00:16:46.760 the development of the \*\*\*\*\*\*

NOTE Confidence: 0.8543655

 $00:16:46.760 \longrightarrow 00:16:48.415$  and difficulty with draining the

NOTE Confidence: 0.8543655

 $00:16:48.415 \longrightarrow 00:16:50.886$  \*\*\*\*\* or the uterus. And we see.

NOTE Confidence: 0.8543655

 $00:16:50.890 \longrightarrow 00:16:53.075$  Children with those conditions we

NOTE Confidence: 0.8543655

 $00:16:53.075 \longrightarrow 00:16:55.848$  see boys and girls with variations

NOTE Confidence: 0.8543655

 $00:16:55.848 \longrightarrow 00:16:57.248$  in \*\*\*\*\* development.

NOTE Confidence: 0.8543655

00:16:57.248 --> 00:16:59.894 And who have concerns about how their

NOTE Confidence: 0.8543655

00:16:59.894 --> 00:17:02.700 ovaries or testes or gonads have developed?

NOTE Confidence: 0.8543655

 $00{:}17{:}02.700 \longrightarrow 00{:}17{:}04.892$  So we see we see those girls as

NOTE Confidence: 0.8543655

 $00:17:04.892 \longrightarrow 00:17:07.519$  well and bed wetting in daytime or

NOTE Confidence: 0.8543655

 $00{:}17{:}07.519 \dashrightarrow 00{:}17{:}09.400$ nighttime wedding is, you know,

NOTE Confidence: 0.8543655

 $00:17:09.400 \longrightarrow 00:17:11.745$  is common in both boys and girls.

NOTE Confidence: 0.8543655

 $00:17:11.750 \longrightarrow 00:17:13.760$  We see children with kidney stones,

NOTE Confidence: 0.8543655

 $00:17:13.760 \longrightarrow 00:17:16.098$  which effects both boys and girls and

NOTE Confidence: 0.8543655

 $00:17:16.098 \longrightarrow 00:17:18.779$  blockages in the kidneys or in the ureters.

NOTE Confidence: 0.8530866

00:17:20.050 --> 00:17:21.960 Speaking with Doctor Sarah Lambert,

00:17:21.960 --> 00:17:23.103 pediatric urologist, Jel,

NOTE Confidence: 0.8530866

00:17:23.103 --> 00:17:24.246 Medicine we're talking

NOTE Confidence: 0.8530866

 $00:17:24.246 \longrightarrow 00:17:25.770$  pediatric urology at Yale.

NOTE Confidence: 0.8530866

 $00:17:25.770 \longrightarrow 00:17:27.290$  New Haven Children's Hospital's

NOTE Confidence: 0.8530866

 $00:17:27.290 \longrightarrow 00:17:29.190$  pediatric specialty center in Greenwich.

NOTE Confidence: 0.8530866

 $00:17:29.190 \longrightarrow 00:17:31.095$  This is spotlight on medicine

NOTE Confidence: 0.8530866

00:17:31.095 --> 00:17:33.762 on AM 14 Ninety FM, 105.5 WGCH,

NOTE Confidence: 0.8530866

00:17:33.762 --> 00:17:36.429 and WG ch.com Anywhere and Doctor Lambert.

NOTE Confidence: 0.8530866

 $00:17:36.430 \longrightarrow 00:17:38.325$  What advice would you offer

NOTE Confidence: 0.8530866

 $00{:}17{:}38.325 \dashrightarrow 00{:}17{:}40.220$  parents who suspect their child

NOTE Confidence: 0.8530866

 $00{:}17{:}40.290 \dashrightarrow 00{:}17{:}42.530$  has a urologic problem? I would

NOTE Confidence: 0.8530866

00:17:42.530 --> 00:17:44.255 encourage parents to be open

NOTE Confidence: 0.8530866

 $00{:}17{:}44.255 \dashrightarrow 00{:}17{:}45.980$  and honest about their concerns

NOTE Confidence: 0.8530866

 $00:17:46.041 \longrightarrow 00:17:47.478$  with their pediatricians.

NOTE Confidence: 0.8530866

 $00:17:47.480 \longrightarrow 00:17:49.048$  We're always happy to

 $00:17:49.048 \longrightarrow 00:17:50.616$  evaluate and provide input.

NOTE Confidence: 0.8530866

00:17:50.620 --> 00:17:51.848 The families and pediatricians,

NOTE Confidence: 0.8530866

 $00:17:51.848 \longrightarrow 00:17:53.383$  and as I stated before,

NOTE Confidence: 0.8530866

 $00:17:53.390 \longrightarrow 00:17:55.292$  it's always important for families to

NOTE Confidence: 0.8530866

 $00:17:55.292 \longrightarrow 00:17:56.910$  openly discuss concerns with their

NOTE Confidence: 0.8530866

 $00:17:56.910 \longrightarrow 00:17:58.400$  children and especially for those

NOTE Confidence: 0.8530866

 $00{:}17{:}58.400 \dashrightarrow 00{:}18{:}00.169$  teenage boys who might be nervous.

NOTE Confidence: 0.8530866

 $00:18:00.170 \longrightarrow 00:18:01.710$  Discussing some of these issues

NOTE Confidence: 0.8530866

 $00{:}18{:}01.710 \longrightarrow 00{:}18{:}03.250$  or concerns with their parents.

NOTE Confidence: 0.8530866

 $00:18:03.250 \longrightarrow 00:18:04.478$  It's really important to

NOTE Confidence: 0.8530866

 $00{:}18{:}04.478 --> 00{:}18{:}06.013$  encourage them to be honest,

NOTE Confidence: 0.8530866

 $00:18:06.020 \longrightarrow 00:18:07.284$  because an open conversation

NOTE Confidence: 0.8530866

 $00:18:07.284 \longrightarrow 00:18:08.548$  is helpful in identifying

NOTE Confidence: 0.8530866

 $00:18:08.548 \longrightarrow 00:18:10.019$  issues in a timely manner.

NOTE Confidence: 0.8530866

 $00:18:10.020 \longrightarrow 00:18:10.330$  Right

NOTE Confidence: 0.85970503

 $00:18:10.330 \longrightarrow 00:18:11.254$  and open, honest.

 $00:18:11.254 \longrightarrow 00:18:12.794$  I guess about all issues.

NOTE Confidence: 0.85970503

 $00{:}18{:}12.800 \dashrightarrow 00{:}18{:}14.644$  Like you said right exactly now.

NOTE Confidence: 0.85970503

00:18:14.644 --> 00:18:16.492 If you're if you wish something

NOTE Confidence: 0.85970503

00:18:16.492 --> 00:18:18.340 with some of your logic problems,

NOTE Confidence: 0.85970503

 $00:18:18.340 \longrightarrow 00:18:19.925$  are these things that are

NOTE Confidence: 0.85970503

 $00:18:19.925 \longrightarrow 00:18:21.900$  going to be treated and then?

NOTE Confidence: 0.85970503

 $00:18:21.900 \longrightarrow 00:18:24.196$  Children as they grow up into adults

NOTE Confidence: 0.85970503

 $00{:}18{:}24.196 \dashrightarrow 00{:}18{:}26.697$  don't have to worry about anymore or

NOTE Confidence: 0.87696934

 $00:18:26.700 \longrightarrow 00:18:28.870$  they chronic as one of the things

NOTE Confidence: 0.87696934

 $00:18:28.870 \longrightarrow 00:18:30.820$  I love about our specialty,

NOTE Confidence: 0.87696934

 $00:18:30.820 \longrightarrow 00:18:33.214$  we have such a variation in disease

NOTE Confidence: 0.87696934

00:18:33.214 --> 00:18:35.290 processes, so many of our conditions

NOTE Confidence: 0.87696934

 $00{:}18{:}35.290 \dashrightarrow 00{:}18{:}37.756$  we can identify and treat and those

NOTE Confidence: 0.87696934

00:18:37.756 --> 00:18:40.080 children will go on to live happy,

NOTE Confidence: 0.87696934

 $00:18:40.080 \longrightarrow 00:18:42.156$  healthy lives and grow and develop

 $00:18:42.156 \longrightarrow 00:18:44.601$  entirely normally so we can see children

NOTE Confidence: 0.87696934

 $00{:}18{:}44.601 \dashrightarrow 00{:}18{:}46.939$  with a hernia or an undescended test is.

NOTE Confidence: 0.87696934

 $00:18:46.940 \longrightarrow 00:18:49.142$  And the vast majority of those

NOTE Confidence: 0.87696934

00:18:49.142 --> 00:18:51.007 children will have one operation

NOTE Confidence: 0.87696934

 $00:18:51.007 \longrightarrow 00:18:53.303$  and will not need to see us.

NOTE Confidence: 0.87696934

00:18:53.310 --> 00:18:55.680 Back until there are significantly older,

NOTE Confidence: 0.87696934

00:18:55.680 --> 00:18:57.965 we don't see boys undescended

NOTE Confidence: 0.87696934

00:18:57.965 --> 00:19:00.843 testes until they're about 13 to

NOTE Confidence: 0.87696934

 $00{:}19{:}00.843 \mathrel{--}{>} 00{:}19{:}02.887$  discuss self testicular exams.

NOTE Confidence: 0.87696934

 $00:19:02.890 \longrightarrow 00:19:04.618$  Where we remind them the importance

NOTE Confidence: 0.87696934

 $00{:}19{:}04.618 \dashrightarrow 00{:}19{:}06.360$  of examining the testes themselves,

NOTE Confidence: 0.87696934

 $00:19:06.360 \longrightarrow 00:19:07.780$  because boys with undescended testes

NOTE Confidence: 0.87696934

00:19:07.780 --> 00:19:10.140 have a higher risk of testicular cancer,

NOTE Confidence: 0.87696934

00:19:10.140 --> 00:19:11.715 and boys with hernias typically

NOTE Confidence: 0.87696934

00:19:11.715 --> 00:19:13.290 after their follow up appointments,

NOTE Confidence: 0.87696934

 $00:19:13.290 \longrightarrow 00:19:15.826$  we don't need to see them back as

 $00:19:15.826 \longrightarrow 00:19:18.440$  a success rate of the surgery is so

NOTE Confidence: 0.87696934

 $00{:}19{:}18.440 \dashrightarrow 00{:}19{:}20.967$  high that they go on it and don't

NOTE Confidence: 0.87696934

 $00:19:20.967 \longrightarrow 00:19:23.061$  need to come back to see us.

NOTE Confidence: 0.87696934

00:19:23.061 --> 00:19:24.987 We can also treat patients with

NOTE Confidence: 0.87696934

 $00:19:24.987 \dashrightarrow 00:19:26.913$  bed wetting who resolve and don't

NOTE Confidence: 0.87696934

 $00:19:26.913 \longrightarrow 00:19:28.408$  need to see us back.

NOTE Confidence: 0.87696934

 $00:19:28.410 \longrightarrow 00:19:30.615$  We see children with abnormalities of the

NOTE Confidence: 0.87696934

 $00:19:30.615 \longrightarrow 00:19:33.205$  \*\*\*\* that were able to address incorrect an.

NOTE Confidence: 0.87696934

00:19:33.210 --> 00:19:35.156 And they don't need to return to

NOTE Confidence: 0.87696934

00:19:35.156 --> 00:19:37.709 our office and then we have other

NOTE Confidence: 0.87696934

00:19:37.709 --> 00:19:39.365 children with complex congenital

NOTE Confidence: 0.87696934

 $00:19:39.365 \longrightarrow 00:19:41.559$  abnormalities that require lifetime care,

NOTE Confidence: 0.87696934

 $00:19:41.560 \longrightarrow 00:19:44.094$  and those children we follow into a dulthood,

NOTE Confidence: 0.87696934

00:19:44.100 --> 00:19:44.464 because,

NOTE Confidence: 0.87696934

 $00:19:44.464 \longrightarrow 00:19:45.920$  really is pediatric urologist.

 $00:19:45.920 \longrightarrow 00:19:48.314$  We have the most experience with

NOTE Confidence: 0.87696934

 $00{:}19{:}48.314 \dashrightarrow 00{:}19{:}50.321$  children with these conditions and

NOTE Confidence: 0.87696934

 $00:19:50.321 \longrightarrow 00:19:52.715$  young adults and we really want these

NOTE Confidence: 0.87696934

00:19:52.715 --> 00:19:54.988 young adults to to go into adulthood,

NOTE Confidence: 0.87696934

00:19:54.990 --> 00:19:56.079 understanding their conditions

NOTE Confidence: 0.87696934

 $00:19:56.079 \longrightarrow 00:19:58.257$  and how to manage their own

NOTE Confidence: 0.85459274

00:19:58.260 --> 00:19:58.984 bodies. Alright,

NOTE Confidence: 0.85459274

 $00:19:58.984 \longrightarrow 00:20:00.794$  I guess times spotlighted medicine.

NOTE Confidence: 0.85459274

00:20:00.800 --> 00:20:01.886 Doctor Sarah Lambert,

NOTE Confidence: 0.85459274

00:20:01.886 --> 00:20:03.362 pediatric urologist, Yale medicine.

NOTE Confidence: 0.85459274

00:20:03.362 --> 00:20:04.866 Pediatric urology at Yale.

NOTE Confidence: 0.85459274

00:20:04.870 --> 00:20:06.318 New Haven Children's hospitals

NOTE Confidence: 0.85459274

00:20:06.318 --> 00:20:08.128 pediatric specialty Center in Greenwich,

NOTE Confidence: 0.85459274

 $00:20:08.130 \longrightarrow 00:20:11.379$  at 500 W Putnam Ave that's our topic today.

NOTE Confidence: 0.85459274

 $00:20:11.380 \longrightarrow 00:20:13.558$  We're going to take a break.

NOTE Confidence: 0.85459274

00:20:13.560 --> 00:20:15.756 Come back with more on spotlighting

00:20:15.756 --> 00:20:18.339 medicine here on AM 14 Ninety FM

NOTE Confidence: 0.85459274

00:20:18.339 --> 00:20:20.427 105.5 WGCH and WG ch.com anywhere.

NOTE Confidence: 0.8569847

 $00:20:22.090 \longrightarrow 00:20:25.726$  Want an easy way to find a great doctor?

NOTE Confidence: 0.8569847

00:20:25.730 --> 00:20:27.342 Got a health issue?

NOTE Confidence: 0.8569847

00:20:27.342 --> 00:20:28.954 You'd like to research?

NOTE Confidence: 0.8569847

 $00:20:28.960 \longrightarrow 00:20:31.515$  Looking for ways to be healthier and

NOTE Confidence: 0.8569847

 $00:20:31.515 \longrightarrow 00:20:33.810$  better informed about personal Wellness?

NOTE Confidence: 0.8569847

00:20:33.810 --> 00:20:36.434 You'll find all this and more at the

NOTE Confidence: 0.8569847

00:20:36.434 --> 00:20:38.650 Greenwich Hospital website www.greenhas.org.

NOTE Confidence: 0.8569847

 $00:20:38.650 \longrightarrow 00:20:40.670$  This richly detailed website is

NOTE Confidence: 0.8569847

 $00:20:40.670 \longrightarrow 00:20:42.286$  loaded with valuable information.

NOTE Confidence: 0.8569847

 $00:20:42.290 \longrightarrow 00:20:44.350$  You'll find everything from directions

NOTE Confidence: 0.8569847

 $00:20:44.350 \longrightarrow 00:20:47.242$  and visiting hours to details about all

NOTE Confidence: 0.8569847

 $00:20:47.242 \longrightarrow 00:20:49.558$  the medical services and staff positions,

NOTE Confidence: 0.8569847

 $00:20:49.560 \longrightarrow 00:20:50.512$  including doctors,

 $00:20:50.512 \longrightarrow 00:20:52.416$  credentials and office locations.

NOTE Confidence: 0.8569847

 $00{:}20{:}52.420 \dashrightarrow 00{:}20{:}55.020$  You'll also find listings of

NOTE Confidence: 0.8569847

00:20:55.020 --> 00:20:56.580 community healthcare events,

NOTE Confidence: 0.8569847

 $00:20:56.580 \longrightarrow 00:20:59.700$  support groups and much much more.

NOTE Confidence: 0.8569847

 $00:20:59.700 \longrightarrow 00:21:02.125$  Whether you're planning a hospital

NOTE Confidence: 0.8569847

 $00:21:02.125 \longrightarrow 00:21:06.329$  visit or just want to be a more

NOTE Confidence: 0.8569847

00:21:06.329 --> 00:21:08.018 informed healthcare consumer,

NOTE Confidence: 0.8569847

 $00:21:08.020 \longrightarrow 00:21:11.140$  the place to start is Greenwich

NOTE Confidence: 0.8569847

00:21:11.140 --> 00:21:12.180 Hospital's website.

NOTE Confidence: 0.8569847

00:21:12.180 --> 00:21:14.260 Find it at www.greenhospital.org,

NOTE Confidence: 0.8569847

00:21:14.260 --> 00:21:15.300 that's www.greenhosp.org.

NOTE Confidence: 0.8569847

00:21:15.300 --> 00:21:19.980 Check it out today and get wise about health.

NOTE Confidence: 0.8301577

00:21:23.180 --> 00:21:25.905 923 here on AM 14 Ninety FM

NOTE Confidence: 0.8301577

00:21:25.905 --> 00:21:27.850 105.5 WGCH WG ch.com Anywhere,

NOTE Confidence: 0.8301577

00:21:27.850 --> 00:21:30.180 I'm Tony Savino. This is spotlight

NOTE Confidence: 0.8301577

 $00:21:30.180 \longrightarrow 00:21:32.124$  on medicine right after spotlight.

00:21:32.124 --> 00:21:34.850 It is the Doug Stephen taking you

NOTE Confidence: 0.8301577

 $00{:}21{:}34.850 \dashrightarrow 00{:}21{:}37.706$  through to the Debbie Niagara show at

NOTE Confidence: 0.8301577

 $00:21:37.706 \longrightarrow 00:21:40.142$  11:00 o'clock this morning by guest

NOTE Confidence: 0.8301577

00:21:40.142 --> 00:21:43.014 this morning on a spotlight is a doctor,

NOTE Confidence: 0.8301577

00:21:43.020 --> 00:21:44.572 Sarah Lambert, pediatric urologist,

NOTE Confidence: 0.8301577

00:21:44.572 --> 00:21:45.810 Yale Medicine, Yale,

NOTE Confidence: 0.8301577

00:21:45.810 --> 00:21:47.650 New Haven children's hospitals

NOTE Confidence: 0.8301577

00:21:47.650 --> 00:21:49.490 pediatric specialty center in

NOTE Confidence: 0.8301577

00:21:49.490 --> 00:21:51.706 Greenwich located at 500 W Putnam Ave.

NOTE Confidence: 0.8301577

00:21:51.710 --> 00:21:54.908 Here in Greenwich the number 877-925-3637

NOTE Confidence: 0.8301577

00:21:54.908 --> 00:21:57.994 and Doctor Lambert do you, uh,

NOTE Confidence: 0.8301577

 $00{:}21{:}57.994 \dashrightarrow 00{:}22{:}00.090$  collaborate with other specialties.

NOTE Confidence: 0.84519136

 $00{:}22{:}00.820 \dashrightarrow 00{:}22{:}02.592$  We have frequent collaboration

NOTE Confidence: 0.84519136

00:22:02.592 --> 00:22:03.922 with nephrology, endocrinology,

NOTE Confidence: 0.84519136

 $00:22:03.922 \longrightarrow 00:22:05.690$  general surgery, gastro enterology,

 $00:22:05.690 \longrightarrow 00:22:08.348$  genetics and other specialties as well.

NOTE Confidence: 0.84519136

00:22:08.350 --> 00:22:09.781 We have multidisciplinary

NOTE Confidence: 0.84519136

00:22:09.781 --> 00:22:11.689 clinics with nephrology and

NOTE Confidence: 0.84519136

00:22:11.689 --> 00:22:13.669 gastroenterology here at our 500.

NOTE Confidence: 0.84519136

 $00:22:13.670 \longrightarrow 00:22:15.998$  W Putnam Pediatric Specialty

NOTE Confidence: 0.84519136

 $00:22:15.998 \longrightarrow 00:22:17.744$  Center in Greenwich.

NOTE Confidence: 0.84519136

 $00:22:17.750 \longrightarrow 00:22:19.916$  This allows us to see children,

NOTE Confidence: 0.84519136

 $00:22:19.920 \longrightarrow 00:22:21.720$  for example with congenital abnormalities

NOTE Confidence: 0.84519136

 $00:22:21.720 \longrightarrow 00:22:23.900$  of the kidney and urinary track.

NOTE Confidence: 0.84519136

 $00:22:23.900 \longrightarrow 00:22:24.995$  Who were Cryer?

NOTE Confidence: 0.84519136

 $00:22:24.995 \longrightarrow 00:22:26.455$  Both medical kidney evaluation

NOTE Confidence: 0.84519136

 $00:22:26.455 \longrightarrow 00:22:27.890$  from the nephrology team,

NOTE Confidence: 0.84519136

 $00:22:27.890 \longrightarrow 00:22:29.775$  and possibly surgical kidney evaluation

NOTE Confidence: 0.84519136

00:22:29.775 --> 00:22:32.330 from the urology team so these patients

NOTE Confidence: 0.84519136

00:22:32.330 --> 00:22:34.437 would be able to see both myself

NOTE Confidence: 0.84519136

 $00:22:34.437 \longrightarrow 00:22:36.567$  and Doctor Karina from nephrology.

 $00:22:36.570 \longrightarrow 00:22:37.284$  In addition,

NOTE Confidence: 0.84519136

 $00:22:37.284 \longrightarrow 00:22:39.069$  we have radiology in our

NOTE Confidence: 0.84519136

 $00:22:39.069 \longrightarrow 00:22:40.920$  office on the 1st floor,

NOTE Confidence: 0.84519136

 $00:22:40.920 \longrightarrow 00:22:43.125$  many days of the week that allows

NOTE Confidence: 0.84519136

 $00:22:43.125 \longrightarrow 00:22:44.953$  children to have their imaging

NOTE Confidence: 0.84519136

 $00:22:44.953 \longrightarrow 00:22:46.998$  studies performed and see both

NOTE Confidence: 0.84519136

 $00:22:46.998 \longrightarrow 00:22:48.610$  specialists the same time.

NOTE Confidence: 0.84519136

 $00:22:48.610 \longrightarrow 00:22:50.944$  Which is really helpful for parents

NOTE Confidence: 0.84519136

 $00:22:50.944 \longrightarrow 00:22:52.977$  to understand our plan moving

NOTE Confidence: 0.84519136

 $00:22:52.977 \longrightarrow 00:22:55.431$  forward an for myself and my

NOTE Confidence: 0.84519136

00:22:55.431 --> 00:22:57.149 colleagues to communicate directly

NOTE Confidence: 0.84519136

 $00:22:57.149 \longrightarrow 00:22:59.675$  with each other and their families.

NOTE Confidence: 0.84519136

 $00{:}22{:}59.680 {\:{\mbox{--}}\!>}\ 00{:}23{:}02.347$  It's a really nice service to be

NOTE Confidence: 0.84519136

 $00:23:02.347 \longrightarrow 00:23:05.009$  able to provide with in Greenwich,

NOTE Confidence: 0.84519136

 $00:23:05.010 \longrightarrow 00:23:06.995$  which usually requires transfer or

 $00:23:06.995 \longrightarrow 00:23:09.520$  travel to a tertiary care center.

NOTE Confidence: 0.84519136

 $00:23:09.520 \longrightarrow 00:23:09.930$  Yeah,

NOTE Confidence: 0.84519136 00:23:09.930 --> 00:23:10.340 I NOTE Confidence: 0.8385838

 $00:23:10.340 \longrightarrow 00:23:12.390$  mean you were mentioning before

NOTE Confidence: 0.8385838

 $00:23:12.390 \longrightarrow 00:23:14.440$  about problems with the spine,

NOTE Confidence: 0.8385838

00:23:14.440 --> 00:23:16.900 possibly impacting the urinary tract, right?

NOTE Confidence: 0.8385838

00:23:16.900 --> 00:23:19.770 So that that's neurology I suppose, right?

NOTE Confidence: 0.7910855

 $00:23:20.120 \longrightarrow 00:23:21.856$  Exactly exactly we collaborate

NOTE Confidence: 0.7910855

 $00{:}23{:}21.856 \dashrightarrow 00{:}23{:}24.026$  with neurologist who also come

NOTE Confidence: 0.7910855

 $00:23:24.026 \longrightarrow 00:23:26.157$  here to the specialty center

NOTE Confidence: 0.7910855

00:23:26.157 --> 00:23:27.824 in Greenwich, an neurosurgeons.

NOTE Confidence: 0.7910855

 $00:23:27.824 \longrightarrow 00:23:30.386$  If these children need a surgical

NOTE Confidence: 0.7910855

 $00:23:30.390 \longrightarrow 00:23:33.267$  intervention, do are when do a pediatric

NOTE Confidence: 0.7910855

00:23:33.267 --> 00:23:35.100 urology cases require surgery?

NOTE Confidence: 0.8613118

 $00:23:36.400 \longrightarrow 00:23:37.680$  That's a great question.

NOTE Confidence: 0.8613118

 $00:23:37.680 \longrightarrow 00:23:38.640$  First and foremost,

00:23:38.640 --> 00:23:40.560 since we haven't discussed this topic,

NOTE Confidence: 0.8613118

 $00:23:40.560 \longrightarrow 00:23:42.480$  I would like to talk about

NOTE Confidence: 0.8613118

 $00:23:42.480 \longrightarrow 00:23:44.080$  testicular torsion, which is a

NOTE Confidence: 0.8613118

 $00:23:44.080 \longrightarrow 00:23:45.680$  spontaneous twisting of the testicle.

NOTE Confidence: 0.8613118

00:23:45.680 --> 00:23:47.330 I believe it's important for

NOTE Confidence: 0.8613118

 $00:23:47.330 \longrightarrow 00:23:49.646$  parents of boys and young men to

NOTE Confidence: 0.8613118

 $00:23:49.646 \longrightarrow 00:23:51.434$  know what the warning signs are,

NOTE Confidence: 0.8613118

 $00:23:51.440 \longrightarrow 00:23:53.156$  as this is a time sensitive

NOTE Confidence: 0.8613118

 $00:23:53.156 \longrightarrow 00:23:54.300$  issue that requires emergency

NOTE Confidence: 0.8613118

 $00{:}23{:}54.360 \dashrightarrow 00{:}23{:}55.920$  medical and surgical attention.

NOTE Confidence: 0.8613118

 $00{:}23{:}55.920 \dashrightarrow 00{:}23{:}58.160$  The signs of testicular torsion are sudden,

NOTE Confidence: 0.8613118

 $00{:}23{:}58.160 \dashrightarrow 00{:}23{:}59.440$  severe testicular pain associated

NOTE Confidence: 0.8613118

 $00:23:59.440 \longrightarrow 00:24:00.400$  with swelling redness,

NOTE Confidence: 0.8613118

 $00:24:00.400 \longrightarrow 00:24:02.188$  and can be accompanied by abdominal

NOTE Confidence: 0.8613118

00:24:02.188 --> 00:24:04.311 pain or vomiting in these boys and

00:24:04.311 --> 00:24:05.771 his children should be evaluated

NOTE Confidence: 0.8613118

 $00{:}24{:}05.771 \dashrightarrow 00{:}24{:}07.878$  in the emergency room immediately.

NOTE Confidence: 0.8613118

 $00{:}24{:}07.880 \dashrightarrow 00{:}24{:}10.166$  As secure as a surgical intervention

NOTE Confidence: 0.8613118

 $00:24:10.166 \longrightarrow 00:24:12.620$  to detur sore untwist the testicle.

NOTE Confidence: 0.8613118

 $00:24:12.620 \longrightarrow 00:24:15.104$  So that's an important sign or

NOTE Confidence: 0.8613118

00:24:15.104 --> 00:24:17.760 symptom for families to be aware of,

NOTE Confidence: 0.8613118

 $00:24:17.760 \longrightarrow 00:24:19.340$  and pediatricians are readily

NOTE Confidence: 0.8613118

 $00:24:19.340 \longrightarrow 00:24:20.920$  aware of this condition.

NOTE Confidence: 0.8613118

 $00{:}24{:}20.920 \dashrightarrow 00{:}24{:}23.272$  We treat these boys at Greenwich

NOTE Confidence: 0.8613118

00:24:23.272 --> 00:24:25.659 Hospital and also in New Haven,

NOTE Confidence: 0.8613118

 $00{:}24{:}25.660 \dashrightarrow 00{:}24{:}27.240$  and we've established a

NOTE Confidence: 0.8613118

00:24:27.240 --> 00:24:28.820 door to Detorsion protocol,

NOTE Confidence: 0.8613118

 $00:24:28.820 \longrightarrow 00:24:31.478$  which allows us to rapidly assess

NOTE Confidence: 0.8613118

00:24:31.478 --> 00:24:33.972 these boys and determine who is

NOTE Confidence: 0.8613118

 $00:24:33.972 \longrightarrow 00:24:36.219$  at high risk and who we believe

NOTE Confidence: 0.8613118

 $00:24:36.219 \longrightarrow 00:24:38.070$  has a twisted testicle.

 $00:24:38.070 \longrightarrow 00:24:39.702$  And get them to the operating

NOTE Confidence: 0.8613118

 $00:24:39.702 \longrightarrow 00:24:40.790$  room within two hours.

NOTE Confidence: 0.8356582

 $00:24:42.180 \longrightarrow 00:24:43.970$  Alright, is that a common

NOTE Confidence: 0.8356582

 $00:24:43.970 \longrightarrow 00:24:45.040$  common condition? It

NOTE Confidence: 0.8356582

 $00:24:45.040 \longrightarrow 00:24:47.134$  is quite common and there are

NOTE Confidence: 0.8356582

 $00:24:47.134 \longrightarrow 00:24:48.958$  other conditions that mimic torsion

NOTE Confidence: 0.8356582

 $00:24:48.958 \longrightarrow 00:24:51.131$  of the testicle, which can be

NOTE Confidence: 0.8356582

 $00:24:51.131 \longrightarrow 00:24:52.916$  torsion of the appendix testicle,

NOTE Confidence: 0.8356582

 $00{:}24{:}52.920 \dashrightarrow 00{:}24{:}54.710$  which Luckily is not dangerous

NOTE Confidence: 0.8356582

 $00:24:54.710 \longrightarrow 00:24:56.500$  to the testicle at all,

NOTE Confidence: 0.8356582

 $00:24:56.500 \longrightarrow 00:24:58.410$  but still requires urgent evaluation

NOTE Confidence: 0.8356582

 $00{:}24{:}58.410 \dashrightarrow 00{:}25{:}00.320$  to determine and distinguish testicular

NOTE Confidence: 0.8356582

 $00{:}25{:}00.370 \dashrightarrow 00{:}25{:}02.230$  torsion from torsion of the appendix,

NOTE Confidence: 0.8356582

 $00:25:02.230 \longrightarrow 00:25:04.015$  test is or or a non-surgical

NOTE Confidence: 0.8356582

 $00:25:04.015 \longrightarrow 00:25:05.443$  concern within the testes.

 $00:25:05.450 \longrightarrow 00:25:07.235$  So I encourage these families

NOTE Confidence: 0.8356582

 $00:25:07.235 \longrightarrow 00:25:09.030$  to be seen, and these

NOTE Confidence: 0.8356582

 $00:25:09.030 \longrightarrow 00:25:10.458$  are things that are.

NOTE Confidence: 0.8356582

 $00:25:10.458 \longrightarrow 00:25:12.243$  Are they hereditary at all,

NOTE Confidence: 0.8356582

 $00:25:12.250 \longrightarrow 00:25:14.536$  or there's something that? At birth.

NOTE Confidence: 0.8670791

 $00:25:15.160 \longrightarrow 00:25:17.436$  So they're not hereditary.

NOTE Confidence: 0.8670791

 $00:25:17.436 \longrightarrow 00:25:20.850$  Some people believe there's an anatomical.

NOTE Confidence: 0.8670791

00:25:20.850 --> 00:25:22.078 Association with the attachment

NOTE Confidence: 0.8670791

00:25:22.078 --> 00:25:23.920 of the spermatic cord or the

NOTE Confidence: 0.8670791

 $00{:}25{:}23.980 \rightarrow 00{:}25{:}25.520$  blood vessels to the testicle.

NOTE Confidence: 0.8670791

 $00{:}25{:}25.520 \dashrightarrow 00{:}25{:}28.128$  And if that's a wide or narrow connection

NOTE Confidence: 0.8670791

 $00:25:28.128 \longrightarrow 00:25:29.955$  and whether or not the testicle

NOTE Confidence: 0.8670791

 $00:25:29.955 \longrightarrow 00:25:32.050$  is more or less likely to twist,

NOTE Confidence: 0.8670791

 $00:25:32.050 \longrightarrow 00:25:34.530$  this condition can occur in newborns as well,

NOTE Confidence: 0.8670791

 $00:25:34.530 \longrightarrow 00:25:35.858$  which is an emergency.

NOTE Confidence: 0.8670791

 $00:25:35.858 \longrightarrow 00:25:37.850$  And some of those patients require

00:25:37.913 --> 00:25:40.129 surgery in the first few days of life.

NOTE Confidence: 0.83931154

 $00{:}25{:}41.350 \dashrightarrow 00{:}25{:}43.954$  And Doctor Lambert, what are the benefits?

NOTE Confidence: 0.83931154

00:25:43.960 --> 00:25:46.198 You know, we've talked about Yale,

NOTE Confidence: 0.83931154

00:25:46.200 --> 00:25:47.692 New Haven children's hospitals,

NOTE Confidence: 0.83931154

 $00:25:47.692 \longrightarrow 00:25:49.930$  pediatric specialty center here in Greenwich.

NOTE Confidence: 0.83931154

 $00:25:49.930 \longrightarrow 00:25:52.114$  So what are the benefits of

NOTE Confidence: 0.83931154

00:25:52.114 --> 00:25:54.030 collaborating with young New Haven?

NOTE Confidence: 0.83931154

 $00{:}25{:}54.030 \dashrightarrow 00{:}25{:}56.750$  I like to think that having Yale Medicine

NOTE Confidence: 0.83931154

00:25:56.750 --> 00:25:59.289 in Greenwich is the equivalent of having

NOTE Confidence: 0.83931154

 $00:25:59.289 \longrightarrow 00:26:01.578$  an academic hospital right in the

NOTE Confidence: 0.83931154

00:26:01.578 --> 00:26:03.728 convenience of your own neighborhood.

NOTE Confidence: 0.83931154

 $00:26:03.730 \longrightarrow 00:26:05.650$  And we have multidisciplinary teams

NOTE Confidence: 0.83931154

 $00{:}26{:}05.650 \dashrightarrow 00{:}26{:}07.570$  that include myself and other

NOTE Confidence: 0.83931154

00:26:07.631 --> 00:26:09.695 teams that don't include a urology.

NOTE Confidence: 0.83931154

 $00:26:09.700 \longrightarrow 00:26:11.610$  That all work collaboratively to

00:26:11.610 --> 00:26:13.980 provide care. For the whole patient,

NOTE Confidence: 0.83931154

 $00{:}26{:}13.980 \dashrightarrow 00{:}26{:}16.380$  we have over 10 pediatric specialties

NOTE Confidence: 0.83931154

00:26:16.455 --> 00:26:19.059 in our 500 W Putnam's specialty center,

NOTE Confidence: 0.83931154

 $00:26:19.060 \longrightarrow 00:26:21.496$  and some children are able to be

NOTE Confidence: 0.83931154

00:26:21.496 --> 00:26:23.399 managed entirely in Greenwich and

NOTE Confidence: 0.83931154

00:26:23.399 --> 00:26:25.769 at Greenwich Hospital and for the

NOTE Confidence: 0.83931154

 $00:26:25.769 \longrightarrow 00:26:28.100$  majority of families and children.

NOTE Confidence: 0.83931154

 $00:26:28.100 \longrightarrow 00:26:29.716$  That's all that's necessary.

NOTE Confidence: 0.83931154

00:26:29.716 --> 00:26:31.736 We have fantastic pediatric anesthesia

NOTE Confidence: 0.83931154

00:26:31.736 --> 00:26:34.071 and pediatric nursing and a neonatal

NOTE Confidence: 0.83931154

00:26:34.071 --> 00:26:35.563 ICU at Greenwich Hospital.

NOTE Confidence: 0.83931154

00:26:35.570 --> 00:26:37.530 Other families enter our system,

NOTE Confidence: 0.83931154

 $00:26:37.530 \longrightarrow 00:26:40.570$  and although most of their care can be

NOTE Confidence: 0.83931154

 $00:26:40.570 \longrightarrow 00:26:42.910$  delivered here in Greenwich require.

NOTE Confidence: 0.83931154

 $00:26:42.910 \longrightarrow 00:26:45.962$  Higher level of care such as cardiac

NOTE Confidence: 0.83931154

 $00:26:45.962 \longrightarrow 00:26:49.139$  anesthesia or the pediatric cardiac ICU.

00:26:49.140 --> 00:26:50.796 In New Haven,

NOTE Confidence: 0.83931154

 $00:26:50.796 \longrightarrow 00:26:53.004$  so being associated with.

NOTE Confidence: 0.83931154

00:26:53.010 --> 00:26:54.782 That tertiary Children's Hospital,

NOTE Confidence: 0.83931154

00:26:54.782 --> 00:26:57.440 although it's not directly in Greenwich,

NOTE Confidence: 0.83931154

 $00:26:57.440 \longrightarrow 00:27:00.170$  it's really a benefit and most of

NOTE Confidence: 0.83931154

 $00:27:00.170 \longrightarrow 00:27:02.919$  your care can be delivered here

NOTE Confidence: 0.83931154

00:27:02.919 --> 00:27:05.409 in Greenwich for our children,

NOTE Confidence: 0.83931154

 $00:27:05.410 \longrightarrow 00:27:07.630$  with variations in \*\*\*\*\* development,

NOTE Confidence: 0.83931154

 $00:27:07.630 \longrightarrow 00:27:10.731$  we have a complex DSD clinic up

NOTE Confidence: 0.83931154

00:27:10.731 --> 00:27:14.490 in New Haven that is staffed by

NOTE Confidence: 0.83931154

 $00{:}27{:}14.490 \dashrightarrow 00{:}27{:}16.810$  social work and psychology.

NOTE Confidence: 0.83931154

00:27:16.810 --> 00:27:17.146 Genetics,

NOTE Confidence: 0.83931154

 $00{:}27{:}17.146 \dashrightarrow 00{:}27{:}18.826$  endocrinology and urology and gynecology.

NOTE Confidence: 0.83931154

 $00:27:18.830 \longrightarrow 00:27:21.070$  So in one center you're able to see

NOTE Confidence: 0.83931154

 $00:27:21.070 \longrightarrow 00:27:23.460$  all of those specials for really

 $00:27:23.460 \longrightarrow 00:27:25.660$  rare and complex conditions that

NOTE Confidence: 0.83931154

 $00:27:25.660 \longrightarrow 00:27:28.084$  require a lot of thought as to how

NOTE Confidence: 0.83931154

 $00:27:28.084 \longrightarrow 00:27:29.245$  to treat these patients,

NOTE Confidence: 0.83931154

 $00:27:29.245 \longrightarrow 00:27:30.920$  what's best for the patient

NOTE Confidence: 0.83931154

 $00:27:30.920 \longrightarrow 00:27:31.925$  and their families,

NOTE Confidence: 0.83931154

 $00:27:31.930 \longrightarrow 00:27:33.610$  both his children as adults,

NOTE Confidence: 0.83931154

 $00:27:33.610 \longrightarrow 00:27:34.618$  and I guess,

NOTE Confidence: 0.83931154

 $00:27:34.618 \longrightarrow 00:27:35.290$  it's great

NOTE Confidence: 0.8413558

 $00:27:35.290 \longrightarrow 00:27:37.300$  that the bounce back bounce all

NOTE Confidence: 0.8413558

 $00:27:37.300 \longrightarrow 00:27:38.982$  over the place, right there?

NOTE Confidence: 0.8413558

 $00{:}27{:}38.982 \rightarrow 00{:}27{:}41.334$  Said they're treated in one place exactly

NOTE Confidence: 0.8413558

 $00:27:41.340 \longrightarrow 00:27:43.356$  and we have myself and doctor

NOTE Confidence: 0.8413558

00:27:43.356 --> 00:27:44.700 good drawl from endocrinology.

NOTE Confidence: 0.8413558

 $00:27:44.700 \longrightarrow 00:27:46.710$  Who are right here in Greenwich?

NOTE Confidence: 0.8413558

00:27:46.710 --> 00:27:48.445 So although your initial visit

NOTE Confidence: 0.8413558

 $00{:}27{:}48.445 \dashrightarrow 00{:}27{:}50.180$  maybe with our entire team.

00:27:50.180 --> 00:27:51.980 In New Haven, if we've established

NOTE Confidence: 0.8413558

 $00:27:51.980 \longrightarrow 00:27:53.986$  a care plan that everyone is

NOTE Confidence: 0.8413558

00:27:53.986 --> 00:27:55.836 happy with and comfortable with,

NOTE Confidence: 0.8413558

 $00:27:55.840 \longrightarrow 00:27:57.926$  then a lot of that care can

NOTE Confidence: 0.8413558

 $00:27:57.926 \longrightarrow 00:27:59.646$  return to Greenwich and we

NOTE Confidence: 0.8413558

 $00:27:59.646 \longrightarrow 00:28:01.166$  can see them collaboratively.

NOTE Confidence: 0.8413558

 $00:28:01.170 \longrightarrow 00:28:03.484$  We saw a young boy, young man.

NOTE Confidence: 0.8413558

 $00:28:03.484 \longrightarrow 00:28:06.508$  I should say he's 19 the other day here

NOTE Confidence: 0.8413558

 $00:28:06.508 \longrightarrow 00:28:09.156$  and we were able to to evaluate him.

NOTE Confidence: 0.8413558

 $00:28:09.160 \longrightarrow 00:28:10.484$  An man Jim here,

NOTE Confidence: 0.8413558

 $00:28:10.484 \longrightarrow 00:28:11.808$  which was really convenient

NOTE Confidence: 0.8413558

 $00:28:11.808 \longrightarrow 00:28:13.489$  for him and his family.

NOTE Confidence: 0.8413558

00:28:13.490 --> 00:28:15.155 Or we were talking off

NOTE Confidence: 0.8413558

 $00:28:15.155 \longrightarrow 00:28:16.487$  Air Doctor Lambert that

NOTE Confidence: 0.8527345

00:28:16.490 --> 00:28:19.154 you do go up to Yale, New Haven.

 $00:28:19.154 \longrightarrow 00:28:21.146$  How often are you up there?

NOTE Confidence: 0.8399768

00:28:21.530 --> 00:28:23.110 I'm up in Yale,

NOTE Confidence: 0.8399768

00:28:23.110 --> 00:28:24.690 New Haven Children's Hospital.

NOTE Confidence: 0.8399768

00:28:24.690 --> 00:28:26.270 Approximately once a month,

NOTE Confidence: 0.8399768

 $00:28:26.270 \longrightarrow 00:28:28.640$  and that's typically to operate an.

NOTE Confidence: 0.8399768

 $00:28:28.640 \longrightarrow 00:28:30.096$  Those operations are for

NOTE Confidence: 0.8399768

00:28:30.096 --> 00:28:32.280 children who will need an ICU

NOTE Confidence: 0.8399768

 $00:28:32.349 \longrightarrow 00:28:34.169$  stay after their operation,

NOTE Confidence: 0.8399768

 $00{:}28{:}34.170 \dashrightarrow 00{:}28{:}36.282$  or who may need cardiac anesthesia

NOTE Confidence: 0.8399768

 $00:28:36.282 \longrightarrow 00:28:38.520$  for one of their procedures.

NOTE Confidence: 0.8399768

 $00{:}28{:}38.520 \dashrightarrow 00{:}28{:}40.890$  Given a history of complex cardio,

NOTE Confidence: 0.8399768

 $00:28:40.890 \longrightarrow 00:28:41.678$  cardiac anomalies,

NOTE Confidence: 0.8399768

 $00:28:41.678 \longrightarrow 00:28:42.860$  or cardiac surgery.

NOTE Confidence: 0.83990735

00:28:44.310 --> 00:28:46.470 Well, Doctor Lambert want to thank

NOTE Confidence: 0.83990735

 $00:28:46.470 \longrightarrow 00:28:48.880$  you for your time this morning.

NOTE Confidence: 0.83990735

 $00:28:48.880 \longrightarrow 00:28:51.166$  Very interesting talking about this topic.

 $00:28:51.170 \longrightarrow 00:28:53.076$  Thanks for joining me this

NOTE Confidence: 0.83990735

 $00{:}28{:}53.076 \dashrightarrow 00{:}28{:}54.600$  morning and spotlighted medicine.

NOTE Confidence: 0.83990735

00:28:54.600 --> 00:28:55.740 My absolute pleasure,

NOTE Confidence: 0.83990735

00:28:55.740 --> 00:28:58.246 doctor Sarah Lambert by guest on Spotlight

NOTE Confidence: 0.83990735

 $00:28:58.246 \longrightarrow 00:28:59.930$  and Medicine pediatric urologist,

NOTE Confidence: 0.83990735

 $00:28:59.930 \longrightarrow 00:29:02.216$  Yale Medicine at the Yale New

NOTE Confidence: 0.83990735

00:29:02.216 --> 00:29:03.359 Haven Children's Hospital,

NOTE Confidence: 0.83990735

 $00{:}29{:}03.360 \dashrightarrow 00{:}29{:}05.270$  Pediatric Specialty Center in Greenwich.

NOTE Confidence: 0.83990735

00:29:05.270 --> 00:29:07.226 They're located at 500 W Putnam

NOTE Confidence: 0.83990735

 $00:29:07.226 \longrightarrow 00:29:09.094$  Ave in Greenwich and their

NOTE Confidence: 0.83990735

 $00:29:09.094 \longrightarrow 00:29:10.597$  phone number 877-925-3637.

NOTE Confidence: 0.83990735

 $00{:}29{:}10.600 \dashrightarrow 00{:}29{:}12.970$  That does it for another edition

NOTE Confidence: 0.83990735

 $00{:}29{:}12.970 \dashrightarrow 00{:}29{:}14.550$  of Spotlight on Medicine.

NOTE Confidence: 0.83990735

00:29:14.550 --> 00:29:16.530 And next week on Spotlight,

NOTE Confidence: 0.83990735

 $00:29:16.530 \longrightarrow 00:29:18.106$  it's allergies versus COVID-19.

00:29:18.106 --> 00:29:19.288 You have allergies.

NOTE Confidence: 0.83990735

 $00:29:19.290 \longrightarrow 00:29:20.870$  Do you have COVID-19?

NOTE Confidence: 0.83990735

 $00:29:20.870 \longrightarrow 00:29:22.845$  My guest is family internist,

NOTE Confidence: 0.83990735

00:29:22.850 --> 00:29:24.820 doctor Pallom Northeast Medical Group,

NOTE Confidence: 0.83990735

 $00:29:24.820 \longrightarrow 00:29:26.380$  that spotlight of Medicine

NOTE Confidence: 0.83990735

 $00:29:26.380 \longrightarrow 00:29:29.195$  next week here on AM 14 Ninety

NOTE Confidence: 0.83990735

 $00{:}29{:}29.195 \dashrightarrow 00{:}29{:}31.535~\mathrm{FM}$  105.5 WGCH and WG ch.com.

NOTE Confidence: 0.83990735

00:29:31.540 --> 00:29:33.120 Anywhere I'm Tony savino.

NOTE Confidence: 0.83990735

 $00{:}29{:}33.120 \dashrightarrow 00{:}29{:}34.700$  Thanks for joining us.